



CHARTER TOWNSHIP OF PLAINFIELD  
KENT COUNTY, MICHIGAN  
6161 BELMONT AVENUE NE; BELMONT, MICHIGAN 49306

REGULAR BOARD MEETING  
OCTOBER 20, 2014

Regular Board Meeting – 7:00 P.M.

1. Call to order
2. Invocation
3. Pledge of Allegiance – Dave Grant
4. Public comments\*
5. Review Consent Agenda
  - a. Approve the October 6, 2014 regular meeting minutes
  - b. Approve the Contractor's Application for Payment No. 2 for MC Sandblasting & Painting, Inc. for the Kroes Water Tank project totaling \$43,440.00
  - c. Approve the Contractor's Application for Payment No. 1 for Shoreline Sprinkling for irrigation installation at Premier Park totaling \$20,256.00
  - d. Approve the Consumers Energy Authorization for Change in the Standard Lighting Contract and Resolution for the installation of a light at Brewer/Cannonsburg
  - e. Adopt a resolution to exempt Plainfield Charter Township from Public Act 152 of 2011 for the year 2015
  - f. Approve the quote from Lowe's Home Centers, LLC for the purchase of smoke alarms totaling \$9,743.40 (cost to Township is 5% or \$487.17) for the Smoke Alarm & Home Safety Program
  - g. Adopt the West Michigan Baseball Water Extension Special Assessment District Resolution No. 5 to amend Resolution No. 4
  - h. Schedule a special township board meeting for October 27, 2014 at 6:30 PM to review the 2015 Budget
  - i. Receive the Fire, Passport, Building, Ordinance Enforcement, Investment, and Financial Reports for September 2014
  - j. Approve the Accounts Payable in the amount of \$1,757,637.22
6. Approval of Agenda, including the Consent Agenda and Accounts Payable
7. Presentation
  - a. Josh Zuiderveen of South Peat Environment, LLC - Rogue River Clean Up Project; Childsdale site
8. Old Business
  - a. None
9. New Business
  - a. Consider Exhibit F of the Personnel Policy Manual for 2015
  - b. Consider the 2015 health insurance plan for current full-time employees and dependents
  - c. Consider the 2015 Benistar Plan for retirees
10. Board discussions
  - a. Historical Preservation Committee
11. Superintendent's comments
12. Board members' comments
13. Adjournment

**\*Citizens' comments** – In addition to providing the public with an opportunity to address the Township Board at the beginning of the meeting, an opportunity to comment on individual agenda items will be offered by the Chairman as they are presented.



52

CHARTER TOWNSHIP OF PLAINFIELD  
KENT COUNTY, MICHIGAN  
6161 BELMONT AVENUE NE; BELMONT, MICHIGAN 49306

REGULAR BOARD MEETING  
October 6, 2014

**DRAFT**

**Regular Board Meeting – 7:00 p.m.**

1. The regular meeting of the Plainfield Charter Township Board was called to order at 7:00 p.m. by Supervisor Jay Spencer. Members present: Supervisor Jay Spencer, Clerk Ruth Ann Karnes, Treasurer Bill Brinkman, Trustees Vic Matthews, Dave Grant and Dale Pomeroy. Members absent: Jon Rathbun. Also present: Superintendent Cameron Van Wyngarden, Buildings and Grounds Supervisor Dennis Hachew, and Director of Public Services Rick Solle.
2. A moment of silence was observed.
3. The Pledge of Allegiance was led by Dale Pomeroy.
4. Public comments  
Brett Fields commented on the snow plow contract bidding process. Ken Chester suggested having a snowman contest in the Township. Debbie Hagedorn asked who is responsible for responding to citizens who comment at Board meetings.
5. The consent agenda was reviewed.
  - a. Approve the September 15, 2014 regular meeting minutes
  - b. Approve Contractor's Application for Payment No. 3 from Fedewa, Inc. for the Buth Painting Project totaling \$5,000
  - c. Approve the final payment to Bultsma Excavating for the water main project on Verta Drive totaling \$1,627.95
  - d. Introduction and first reading of the proposed ordinance to amend the Sewer Disposal Ordinance and to schedule a public hearing for November 3, 2014
  - e. Approve the recommendation from the Personnel Committee to appoint David Meyerholtz to the Parks & Recreation Advisory Committee
  - f. Approve revoking the Industrial Facilities Tax Exemption that was granted to Integrated Packaging Machinery, LLC
  - g. Approve the Accounts Payable in the amount of \$875,754.53
6. Matthews moved, with support by Pomeroy, to approve the agenda including the consent agenda and Accounts Payable in the amount of \$875,754.53. Ayes: Brinkman, Spencer, Karnes, Matthews, Grant and Pomeroy. Nays: 0. Absent: Rathbun. Motion carried.
7. There was no old business.
8. New business
  - a. Karnes moved, with support by Matthews, to approve the proposal from All Season Lawn Care for a 3-year contract for snowplowing totaling \$32,363.73. Ayes: Brinkman, Grant, Spencer, Karnes, Matthews, and Pomeroy. Nays: 0. Absent: Rathbun. Motion carried.
  - b. Grant moved, with support by Brinkman, to approve the proposal from Hurst Mechanical for the replacement of the four rooftop cooling units at the Community Center totaling \$11,246.00. Ayes: Brinkman, Spencer, Karnes, Grant, Matthews, and Pomeroy. Nays: 0. Absent: Rathbun. Motion carried.

- c. Grant moved, with support by Karnes, to adopt a resolution approving and endorsing a change of control to Midwest Cable, Inc. and approving a uniform franchise and letter agreement. Ayes: Grant, Karnes, Brinkman, Spencer, Matthews, and Pomeroy. Nays: 0. Absent: Rathbun. Motion carried.
- 9. There were no Board discussions.
- 10. The Superintendent shared comments.
- 11. Brinkman shared comments.
- 12. The meeting adjourned at 8:07 p.m.

\_\_\_\_\_  
Ruth Ann Karnes  
Plainfield Charter Township Clerk

\_\_\_\_\_  
Date

\_\_\_\_\_  
Jay D. Spencer  
Plainfield Charter Township Supervisor

\_\_\_\_\_  
Date

**CERTIFICATION**

The undersigned, as the duly elected clerk of the township, hereby certifies that the foregoing is a true and accurate copy of the regular meeting minutes of October 6, 2014 as approved by the Township Board of Plainfield Charter Township, at which a quorum was present.

\_\_\_\_\_  
Plainfield Charter Township Clerk

\_\_\_\_\_  
Date

5b



## PLAINFIELD CHARTER TOWNSHIP WATER TREATMENT PLANT

5220 WOODFIELD COURT N.E. • GRAND RAPIDS, MI 49525  
PHONE 616-364-7174 • FAX: 616-364-6452

October 14, 2014

To: Cameron VanWyngharden  
From: S. Mark Bogdanik  
Re: MC Sandblasting Progress Payment

The attached request for a progress payment to MC Sandblasting for the work completed at the Kroes water tank is submitted for the consent agenda of the Plainfield Township Board meeting on October 20, 2014. The payment of \$43,440.00 has been recommended By Dixon Engineering. There is a remaining balance of \$34,160.00 to be paid when the project is completed.

We are currently waiting for the wet portion of the project to complete its cure. We will then fill, disinfect, and then drain the tank prior to refilling and performing bacteriological testing. Thank you for consideration of this matter.

Sincerely,

S. Mark Bogdanik  
Assistant Superintendent  
Plainfield Township Water Plant

Cc: Stephanie McMillen



**DIXON**

ENGINEERING AND  
INSPECTION SERVICES  
FOR THE COATING INDUSTRY

1104 Third Avenue  
Lake Odessa, MI 48849  
Telephone 1-616-374/3221  
Fax 1-616-374/7116

October 10, 2014

Mr. Mark Bogdanik  
Assistant Superintendent  
Plainfield Township Water Plant  
5220 Woodfield Ct. NE  
Grand Rapids, MI 49525

Subject: Kroes Elevated Tank Repainting - Progress Payment #2 Recommendation

Dear Mark:

Enclosed is an invoice for payment submitted by MC Sandblasting in the amount of \$43,440 (after retainage) for wet interior repainting of the Kroes elevated tank.

Dixon has verified that the pay amount requested is consistent with the work completed and our inspections have verified satisfactory completion. Dixon recommends a progress payment in the amount of \$43,440.

Following this payment, the remaining contract balance is:

Original contract value:	\$ 124,150
Change order #1	7,625
Progress payment #1:	54,175
Progress payment #2:	<u>43,440</u>
Remaining balance:	\$ 34,160

Work on the project is substantially complete. We will send you a final payment recommendation after we receive the final invoice and required closeout paperwork from the contractor.

If you have any questions regarding this recommendation, please contact me at (616) 374-3221, Ext. 303.

FOR DIXON ENGINEERING, INC.,

*Ira M. Gabin/VA*

Ira M. Gabin, P.E.  
Vice President

Members: Steel Structures Painting Council  
American Water Works Association  
Consulting Engineers Council

# CONTRACTOR'S APPLICATION FOR PAYMENT

CAP702L

TO: PLAINFIELD TOWNSHIP  
6161 BELMONT AVENUE  
BELMONT, MI 49306

PROJECT: 22-41-61-07 & 05-14

1,250,000 GALLON RESERVOIR-5 MILE  
500,000 GALLON SPHEROID - KROES

Distribution to:

- Owner
- Architect
- Contractor
- Construction Mgr

FROM:  
CONTRACTOR: MC SANDBLASTING & PAINTING, INC.  
P.O. BOX 802  
CEDAR SPRINGS, MI 49319

VIA ARCHITECT:

APPLICATION NO: 2  
PERIOD TO: 9/30/2014  
CONTRACT DATE: 2/24/2014  
PROJECT NOS:

CONTRACT FOR: PAINTING

## CONTRACTOR'S APPLICATION FOR PAYMENT

Application is made for payment as shown below, in connection with the contract. Continuation Sheet, Document CAP703, is attached.

- 1. ORIGINAL CONTRACT SUM \$ 124,150.00
- 2. Net Change by Change Orders \$ 7,625.00
- 3. CONTRACT SUM TO DATE (Line 1+ - 2) \$ 131,775.00
- 4. TOTAL COMPLETED & STORED TO DATE (Column G on CAP703) \$ 97,615.00
- 5. RETAINAGE:
  - a. 0.00 % of Completed Work (Columns D + E on CAP703) \$ 0.00
  - b. 0.00 % of Stored Material (Column F on CAP703) \$ 0.00
- Total Retainage (Line 5a + 5b or Total in column I of CAP703) \$ 0.00
- 6. TOTAL EARNED LESS RETAINAGE (Line 4 less Line 5 Total) \$ 97,615.00
- 7. LESS PREVIOUS CERTIFICATES FOR PAYMENT (Line 6 from prior Certificate) \$ 54,175.00
- 8. CURRENT PAYMENT DUE \$ 43,440.00
- 9. BALANCE TO FINISH, INCLUDING RETAINAGE (Line 3 less Line 6) \$ 34,160.00

CHANGE ORDER SUMMARY	ADDITIONS	DEDUCTIONS
Total changes approved in previous months by Owner	7,625.00	0.00
Total approved this Month	0.00	0.00
<b>TOTALS</b>	<b>7,625.00</b>	<b>0.00</b>
<b>NET CHANGES by Change Order</b>		<b>7,625.00</b>

The Undersigned Contractor certifies that to the best of the Contractor's knowledge information and belief the Work covered by this Application for Payment has been completed in accordance with the Contract Documents, that all amounts have been paid by the Contractor for Work for which previous Certificates for Payment were issued and payments received from the Owner, and that current payment shown herein is now due.

CONTRACTOR: MC SANDBLASTING & PAINTING, INC.

By: Michael P. Cole Date: 9/30/2014

State of: MI

County of: Kent

Subscribed and sworn to before me this 30th day of September, 2014.

Notary Public: Tracy A. Cooper

My Commission expires: 6/17/2018

## ARCHITECT'S CERTIFICATE FOR PAYMENT

In accordance with the Contract Documents, based on on-site observations and the data comprising this application, the Architect certifies to the Owner that to the best of the Architect's knowledge, information and belief the Work has progressed as indicated, the quality of the Work is in accordance with the Contract Documents, and the Contractor is entitled to payment of the AMOUNT CERTIFIED.

AMOUNT CERTIFIED ..... \$ 43,440

(Attach explanation if amount certified differs from the amount applied for. Initial all figures on this Application and on the Continuation Sheet that are changed to conform to the amount certified.)

ARCHITECT:

By: [Signature] Date: 10/1/14

This Certificate is not negotiable. The AMOUNT CERTIFIED is payable only to the Contractor named herein. Issuance, payment and acceptance of payment are without prejudice to any rights of the Owner or Contractor under this contract.

**DOCUMENT CAP703 - Continuation Sheet**

TO: PLAINFIELD TOWNSHIP  
6161 BELMONT AVENUE  
BELMONT, MI 49306

FROM: MC SANDBLASTING & PAINTING, INC.  
P.O. BOX 802  
CEDAR SPRINGS, MI 49319

APPLICATION#: 2  
APPLICATION DATE: 9/30/2014  
PERIOD TO: 9/30/2014

PROJECT: 22-41-61-07 & 05-14

CONTRACT DATE: 2/24/2014

ARCHITECTS PROJECT#:

A ITEM NO.	B DESCRIPTION OF WORK	C SCHEDULED VALUE	D WORK COMPLETED		E THIS PERIOD	F MATERIALS PRESENTLY STORED (NOT IN D OR E)	G TOTAL COMPLETED AND STORED TO DATE (D+E+F)	H BALANCE TO FINISH (C-G)	I RETAINAGE (IF VARIABLE RATE)
			FROM PREVIOUS APPLICATION (D + E)	THIS PERIOD					
1	5 MILE ROAD RESERVOIR	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
1.1	GROUT REPAIR	150.00	150.00	0.00	0.00	0.00	150.00	0.00	0.00
1.2	ROOF RAILING	3,200.00	3,200.00	0.00	0.00	0.00	3,200.00	0.00	0.00
1.3	OVERFLOW FLAP GATE	1,300.00	1,300.00	0.00	0.00	0.00	1,300.00	0.00	0.00
1.4	EXTERIOR OVERCOAT	39,400.00	39,400.00	0.00	0.00	0.00	39,400.00	0.00	0.00
1.5	PIT PIPING REPAIR	2,500.00	2,500.00	0.00	0.00	0.00	2,500.00	0.00	0.00
2	KROES TANK	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
2.1	WET INTERIOR REPAIR	72,400.00	0.00	43,440.00	0.00	0.00	43,440.00	28,960.00	0.00
2.2	DRY INTERIOR PARTIAL REPAIR	4,000.00	0.00	0.00	0.00	0.00	0.00	4,000.00	0.00
2.3	SEAM SEAL	1,200.00	0.00	0.00	0.00	0.00	0.00	1,200.00	0.00
3	CHANGE ORDER #1: POLE SAND TO ABRASE SURFACE AND APPLY ONE COAT OF TNAMEC SERIES 530	7,625.00	7,625.00	0.00	0.00	0.00	7,625.00	0.00	0.00
		131,775.00	54,175.00	43,440.00	0.00	0.00	97,615.00	34,160.00	0.00
									74

## Application and Certificate for Payment

**TO OWNER:** PROJECT: **APPLICATION NO:** **Distribution to:**  
 PLAINFIELD CHARTER TOWNSHIP Ten Mile Road Park - Install OWNER   
 10 MILE ROAD 10 Mile Road ARCHITECT   
 FROM CONTRACTOR, MI 49341 VIA ARCHITECT, MI 49341 CONTRACTOR   
 Shoreline Sprinkling Progressive AE FIELD   
 135 North State Street 1811 4 Mile Road NE OTHER   
 PLA-10MI

**INVOICE NO: 24408**  
 The undersigned Contractor certifies that to the best of the Contractor's knowledge, information and belief the Work covered by this Application for Payment has been completed in accordance with the Contract Documents, that all amounts have been paid by the Contractor for Work for which previous Certificates for Payment were issued and payments received from the Owner, and that current payment shown herein is now due.

**CONTRACTOR:** Shoreline Sprinkling  
 By: *[Signature]*  
 State of: Michigan  
 County of: Ottawa  
 Subscribed and sworn to before me this 17th day of July, 2014  
 Notary Public: *[Signature]*  
 My commission expires: March 10, 2019  
 Date: 7-17-14  
 TODD A. HOLSTEGE  
 Notary Public, State of Michigan  
 County of Ottawa  
 My Commission Expires March 10, 2019  
 Acting in the County of Ottawa

**ARCHITECT'S CERTIFICATE FOR PAYMENT**  
 In accordance with the Contract Documents, based on on-site observations and the data comprising this application, the Architect certifies to the Owner that to the best of the Architect's knowledge, information and belief the Work has progressed as indicated, the quality of the Work is in accordance with the Contract Documents, and the Contractor is entitled to payment of the AMOUNT CERTIFIED.

**AMOUNT CERTIFIED** ..... \$ 20,256.00  
 (Attach explanation if amount certified differs from the amount applied. Initial all figures on this Application and on the Continuation Sheet that are changed to conform with the amount certified.)  
**ARCHITECT:** *[Signature]*  
 By: *[Signature]*  
 Date: 10/14/2014

This Certificate is not negotiable. The AMOUNT CERTIFIED is payable only to the Contractor named herein. Issuance, payment and acceptance of payment are without prejudice to any rights of the Owner or Contractor under this Contract.

**CAUTION: You should sign an original AIA Contract Document, on which this text appears in RED. An original assures that changes will not be obscured.**  
 AIA Document G702™ - 1992. Copyright © 1953, 1963, 1971, 1978, 1983 and 1992 by The American Institute of Architects. All rights reserved. **WARNING: This AIA Document is protected by U.S. Copyright Law and International Treaties. Unauthorized reproduction or distribution of this AIA Document, or any portion of it, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under the law.** Purchasers are permitted to reproduce ten (10) copies of this document when completed. To report copyright violations of AIA Contract Documents, e-mail The American Institute of Architects' legal counsel, copyright@aia.org.

**CONTRACTOR'S APPLICATION FOR PAYMENT**  
 Application is made for payment, as shown below, in connection with the Contract. AIA Document G703™, Continuation Sheet, is attached.

1. ORIGINAL CONTRACT SUM .....	\$ 20,256.00		
2. NET CHANGE BY CHANGE ORDERS .....	\$ 0.00		
3. CONTRACT SUM TO DATE (Line 1 ± 2) .....	\$ 20,256.00		
4. TOTAL COMPLETED & STORED TO DATE (Column G on G703) .....	\$ 20,256.00		
5. RETAINAGE:			
a. % of Completed Work			
(Columns D + E on G703)	\$ 0.00		
b. % of Stored Material			
(Column F on G703)	\$ 0.00		
Total Retainage (Lines 5a + 5b, or Total in Column I of G703) .....	\$ 0.00		
6. TOTAL EARNED LESS RETAINAGE .....	\$ 20,256.00		
(Line 4 minus Line 5 Total)			
7. LESS PREVIOUS CERTIFICATES FOR PAYMENT .....	\$ 0.00		
(Line 6 from prior Certificate)			
8. CURRENT PAYMENT DUE .....	\$ 20,256.00		
9. BALANCE TO FINISH, INCLUDING RETAINAGE	\$ 0.00		
(Line 3 minus Line 6)			

CHANGE ORDER SUMMARY	ADDITIONS	DEDUCTIONS
Total changes approved in previous months by Owner	\$ 0.00	\$ 0.00
Total approved this month	\$ 0.00	\$ 0.00
TOTAL	\$ 0.00	\$ 0.00
NET CHANGES by Change Order	\$ 0.00	



# AIA Document G703™ - 1992

## Continuation Sheet

AIA Document G702™, Application and Certification for Payment, containing Contractor's signed certification is attached. In tabulations below, amounts are stated to the nearest dollar. Use Column I on Contracts where variable retainage for line items may apply.

APPLICATION NO:

1

APPLICATION DATE:

7/17/2014

PERIOD TO:

7/17/2014

ARCHITECT'S PROJECT NO:

PLA-10MI

H

A ITEM NO.	B DESCRIPTION OF WORK	C SCHEDULED VALUE	D WORK COMPLETED		E THIS PERIOD	F MATERIALS PRESENTLY STORED (Not in D or E)	G TOTAL COMPLETED AND STORED TO DATE (D + E + F)	H % (G ÷ C)	I BALANCE TO FINISH (C - G)	I RETAINAGE (If variable rate)
			FROM PREVIOUS APPLICATION (D + E)							
101	Material for Installation of Irrigation	10,373.58	0.00	0.00	10,373.58	0.00	10,373.58	100	0.00	0.00
102	Installation of Irrigation	9,882.42	0.00	0.00	9,882.42	0.00	9,882.42	100	0.00	0.00
	<b>GRAND TOTAL</b>						<b>20,256.00</b>	<b>100</b>	<b>0.00</b>	<b>0.00</b>

**CAUTION: You should sign an original AIA Contract Document, on which this text appears in RED. An original assures that changes will not be obscured.**

AIA Document G703™ - 1992, Copyright © 1963, 1965, 1966, 1967, 1970, 1978, 1983 and 1992 by The American Institute of Architects. All rights reserved. **WARNING: This AIA® Document is protected by U.S. Copyright Law and International Treaties. Unauthorized reproduction or distribution of this AIA® Document, or any portion of it, may result in severe civil and criminal penalties, and will be prosecuted to the maximum extent possible under the law.** Purchasers are permitted to reproduce ten (10) copies of this document when completed. To report copyright violations of AIA Contract Documents, e-mail The American Institute of Architects' legal counsel, [copyright@aia.org](mailto:copyright@aia.org).



Count on Us

5d

Support Specialist Mailing Center

530 W Willow Street, PO Box 30162 Lansing, MI 48909

October 13, 2014

NOTIFICATION #: 1027540260

PLAINFIELD CHARTER TOWNSHIP
6161 BELMONT AVE NE
BELMONT, MI 49306-9609

REFERENCE: BREWER/CANNONSBURG STLITE GR. GRAND RAPIDS

Dear Valued Customer,

Thank you for contacting Consumers Energy for your energy needs. Please note the Notification Number above and include it on any correspondence you send. Please note the Account Number, located above the Account Name on your invoice, when submitting payment.

Enclosed for approval and signature is the original Authorization for Change and Resolution covering the replacement and/or installation of streetlight(s). In conjunction with the work, a non-refundable payment of \$100.00 per luminaire is required.

A monthly energy charge associated with this lighting installation for 1 Luminaire(s) is approximately \$11.40 per Luminaire. This charge is subject to change based on current rates. After the installation is complete, you will begin receiving a separate monthly bill for the above energy charge. You are responsible for the final restoration.

The estimated cost for your energy request is as follows:

Table with 2 columns: Description and Amount. Rows include Non Refundable Agreement for Installation of Electric Facilities (\$2,917.25), Winter Construction Costs, Installation Charge (\$100.00 per Luminaire) (\$100.00), and Total Estimated Cost (\$3,017.25).

Please sign and return the original Authorization for Change and Resolution in the enclosed self-addressed envelope or email to: POBoxCEServiceRequest@cmsenergy.com. Payment in full is required before the installation can be scheduled for construction.

Please review all attached materials carefully. Contact the Consumers Energy Customer Energy Specialist or Representative assigned to your notification with any questions about your request at: 616-606-6117 .

Sent on behalf of,
JOHN M O'NEILL
Consumers Energy Customer Energy Specialist

**NOTICE FOR NATURAL GAS AND ELECTRIC CUSTOMERS  
WINTER CONSTRUCTION/PRACTICAL DIFFICULTIES CHARGES**

An **additional** construction charge of \$3.00 per foot for all **underground construction footage** will be applied to gas and electric facilities installed **starting December 15, 2014, through April 15, 2015**. To help you avoid this charge, we've included important dates and site requirements below. **Please note that Electrical inspection is a requirement for construction.**

**NATURAL GAS AND UNDERGROUND ELECTRIC SERVICE  
FROM EXISTING FACILITIES**

Applications/request for service **must be received on or before October 31, 2014; the job site must be ready; and all required easements (if applicable) and estimated payments must be received on or before November 21, 2014.** (Please note that the November 21, 2014, payment deadline replaces the payment due date listed at the top of your invoice.)

If you are in the early stages of construction, please make sure your basement (or foundation) is backfilled, and the service route from the building to the property line is within 3 inches of final grade. Please keep this route clear of all dirt and building materials so that our employees can work safely and efficiently.

If you're unable to meet the above dates or site conditions, you may want to consider installing conduit for your Consumers Energy natural gas and/or electric service. Conduits that are properly installed and usable will not incur the winter charges.

**GAS MAIN AND UNDERGROUND PRIMARY ELECTRIC EXTENSIONS**

Application/request for main and primary underground electric extension **must be made on or before October 1, 2014, and the following must be completed on or before November 3, 2014:**

1. All payments must be made in advance, including your service payment. Please note that the November 3rd payment deadline replaces the payment due date listed at the top of your invoice.
2. Governmental agencies must have returned required construction permits.
3. The site must be clear and ready for construction, including the service route.
4. Consumers Energy must receive all required easements.

**GAS METERS**

You **do not** need to call us to request gas meter installation for single-unit buildings that require a 250 Metris meter. We will set gas meters within 5 days after the gas service has been installed.

To schedule installation of a gas meter for a multifamily building or building that requires a meter larger than a 250 Metris meter, please call us at (800) 477-5050. These installations require connecting a fuel line to our meter bracket and at least one permanent natural gas appliance. Also, we need your help to access the building. If your township requires a pressure test inspection tag, please verify this has been completed before requesting a meter set.

**NOTE: To help us schedule your meter set when you need it and avoid delays, we suggest that you apply for your natural gas and electric service at the same time you apply for your building permit.**

**If you have any questions, please call your Customer Energy Specialist.**

CONSUMERS ENERGY CO.  
Lansing, MI 48937-0001



PLAINFIELD CHARTER TOWNSHIP  
6161 BELMONT AVE NE  
BELMONT MI 49306-9609

Due Date	Total Due
11/12/14	\$3,017.25
Amount	
Enclosed	\$

PREPAYMENT REQUEST

Please detach this stub and return it with your payment

CONSUMERS ENERGY CO.

Account Number	300007874104	Invoice Number	9303243540
Account Name	PLAINFIELD CHARTER TOWNSHIP	PO Number	
Address	6161 BELMONT AVE NE BELMONT, MI 49306	PO Date	
		Bill Date	10/13/14
		DUE DATE	11/12/14

Comments: BREWER/CANNONBURG STLITE GR - GRAND RAPIDS - STREETLIGHTING - NOTIFICATION NUMBER (s):  
- - - - - 1027540260 -

Contact our secure credit/debit card payment center at 1-855-581-3753 to pay 'fee free' with your Visa or Master card. Have your account number, located at the top of this invoice ready. If you have any questions related to this bill or issues making your payment please contact your Consumers Energy representative.

Item	Description	Quantity	Unit Price	Amount
40010411	Electric U/G Dist. (Non-Refundable)	1.0 EA	\$2,667.25	\$2,667.25
40010409	Electric Transformer Contribution	1.0 KVA	\$250.00	\$250.00
40010403	Electric Streetlights-CIAC	1.0 EA	\$100.00	\$100.00
<b>Payment Terms:</b>				<b>Due by:</b> 11/12/14
				<b>TOTAL DUE*:</b> \$3,017.25

PLEASE ENCLOSE THE TOP PORTION OF THIS INVOICE WITH YOUR PAYMENT. THE ACCOUNT NUMBER IS NECESSARY TO ENSURE YOUR PAYMENT IS PROPERLY CREDITED. THANK YOU

Contact Information: JOHN M O'NEILL -616-606-6117 -

\*Payments applied after the date of 10/13/14 are not included.


Consumers Energy is regulated by the Michigan Public Service Commission, Lansing, Michigan.

www.consumersenergy.com



PARTIAL PRIMARY ONE IN D AGRAM  
(NO SCA E)

KENT CO  
PLAINFIELD TWP  
TOB R11 SEC.24



**AUTHORIZATION FOR CHANGE IN STANDARD LIGHTING CONTRACT (COMPANY-OWNED)**

Consumers Energy Company is authorized as of \_\_\_\_\_, by the clerk of  
Plainfield Charter Township, to make changes, as listed below, in the lighting  
system(s) covered by the existing Standard Lighting Contract between the Company and the \_\_\_\_\_ of \_\_\_\_\_,  
dated  
12/1/2010.

General Service Unmetered Lighting Rate GUL, Standard High Intensity Discharge as identified in Exhibit A.  
 General Unmetered Experimental Lighting Rate GU-XL as identified in Exhibit B.

Notification Number 1027540260

Construction Work Order Number \_\_\_\_\_

Except for the changes in the lighting system(s) as herein authorized, all provisions of the aforesaid Standard Lighting Contract  
dated 12/1/2010, shall remain in full force and effect.

\_\_\_\_\_  
By: \_\_\_\_\_  
Its  
\_\_\_\_\_

This Agreement may be executed and delivered in counterparts, including by a facsimile or an electronic transmission thereof,  
each of which shall be deemed an original. Any document generated by the parties with respect to this Agreement, including  
this Agreement, may be imaged and stored electronically and introduced as evidence in any proceeding as if original business  
records. Neither party will object to the admissibility of such images as evidence in any proceeding on account of having been  
stored electronically.

**RESOLUTION**

RESOLVED, that it is hereby deemed advisable to authorize Consumers Energy Company to make changes in the lighting service as provided in the Standard Lighting Contract between the Company and the  City  Village  Township of \_\_\_\_\_, dated 12/1/2010, in accordance with the Authorization for Change in Standard Lighting Contract dated as of \_\_\_\_\_, heretofore submitted to and considered by this  Commission  Council  Board; and

RESOLVED, further, that the Township Clerk be and are authorized to execute such authorization for change on behalf of the  City  Village  Township.

STATE OF MICHIGAN )  
 ) ss  
COUNTY OF \_\_\_\_\_ )

I, \_\_\_\_\_, Clerk of the  City  Village  Township of \_\_\_\_\_ do hereby certify that the foregoing resolution was duly adopted by the  Commission  Council  Board of said municipality, at the meeting held on \_\_\_\_\_.

\_\_\_\_\_  
 City  Village  Township Clerk

Dated:

\_\_\_\_\_





**AGREEMENT FOR MODIFICATIONS OF  
ELECTRIC FACILITIES (NONREFUNDABLE)  
PART I**

Effective Date: 10/13/2014 Notification Number: 1027540260  
(Drawing Attached, Exhibit A)

Company: **CONSUMERS ENERGY COMPANY**  
a Michigan Corporation

Customer: PLAINFIELD CHARTER TOWNSHIP  
(Name)

530 W Willow St PO Box 30162  
Lansing MI 48909  
(Address)

6161 BELMONT AVE NE  
(Street and Number)  
BELMONT, MI 49306-9609  
(City, State and Zip Code)

Attention: Electric Team Leader Attention: \_\_\_\_\_

Service Location: NW BREWER/CANNONSBURG STREETLIGHT

Township PLAINFIELD County KENT  
Town 08 Range 11 Section 24

Price: \$ 3,017.25

**NOTE: ADDITIONAL CHARGES MAY BE OWED. SEE PART II, SECTION 2 and 5 FOR DETAILS.**

The Price is good for sixty (60) days from the effective date above. Part II, CONSUMERS' FACILITIES AGREEMENT TERMS AND CONDITIONS is attached hereto and is a part of this Agreement. CUSTOMER ACKNOWLEDGES HAVING READ SAID TERMS AND CONDITIONS. CONSUMERS ENERGY COMPANY EXPRESSLY REJECTS ANY ADDITIONAL OR DIFFERENT TERMS AND CONDITIONS SET FORTH IN ANY PURCHASE ORDER ISSUED BY CUSTOMER OR IN ANY OTHER CONTRACT DOCUMENT ISSUED BY CUSTOMER.

CONSUMERS ENERGY COMPANY PLAINFIELD CHARTER TOWNSHIP  
(Customer)

By \_\_\_\_\_  
(Signature)  
\_\_\_\_\_  
(Print or Type Name)  
\_\_\_\_\_  
(Date Signed)

By \_\_\_\_\_  
(Signature)  
\_\_\_\_\_  
(Print or Type Name)  
\_\_\_\_\_  
(Date Signed)

Title Electric Team Leader

Title \_\_\_\_\_

**AGREEMENT FOR INSTALLATION OF  
ELECTRIC FACILITIES (NONREFUNDABLE)  
TERMS AND CONDITIONS  
PART II**

1. For any new facilities being installed to accommodate new load to the Company's system, a non-refundable contribution pursuant to tariffs filed with the Michigan Public Service Commission (Rule C6) is included in the Price.

In consideration of Customer's request and agreement to pay all the costs of relocation/modification of Consumers' facilities, Consumers hereby agrees to relocate and/or modify its electric facilities. The facilities to be relocated or modified are shown on the drawing attached as Exhibit A. Pursuant to tariffs filed with the Michigan Public Service Commission (Rule C1), when relocation or modification of Consumers' facilities is requested or made necessary by a customer, all costs for the relocation or modification are charged to the requesting party.

For the above mentioned activities, all costs are non-refundable and are due prior to the start of construction. The Customer shall pay the Price identified in Part I upon execution of this Agreement.

2. After all work is completed, Consumers will invoice the Customer for any additional amounts owed.

The Customer is solely responsible to contact the owner of any phone, cable TV or any other facility that may be attached to Consumers' poles and make arrangements for the removal and/or relocation of those facilities at the Customer's expense. The Price identified in Part I does not include any cost the owner of those facilities may charge for the removal and/or relocation.

The Customer shall also be responsible for additional extraordinary construction costs that result from, but are not limited to site conditions, environmental contamination, underground, or buried obstructions, permit fees or other governmental restrictions. If work is to be completed outside of Consumers' normal working hours at the Customer's request, incremental costs shall apply, and these costs will be the Customer's responsibility.

Any amounts to be paid pursuant to this Agreement include Michigan sales tax but are exclusive of all other federal, state, county, municipal, or local property, license, excise, sales use, gross receipt or similar tax with respect to the work covered hereunder and if Consumers is required by applicable law or regulation to pay or collect any such tax or if any such taxes are assessed against Consumers on account of performance or this Agreement, no matter when such assessment is made, then such tax or taxes shall be paid by the Customer to Consumers in addition to the amounts provided for herein.

3. Prior to the installation of the facilities, and as a condition precedent thereto, the Customer shall provide, at no expense to the Company, recordable easements, on a form provided by the Company, granting all necessary rights of way for installation and maintenance of said facilities. If said facilities are to serve a residential subdivision, said easements shall include, but not be limited to, rights of way for streetlighting in the subdivision by means of underground facilities, even though Consumers does not undertake to provide streetlighting facilities and service as a part of this Agreement. If said easements are not secured and delivered to Consumers within thirty (30) days after execution of this Agreement, Consumers may, at its option, refund all payments made to it hereunder by the Customer, without interest, after deducting reasonable expenses incurred by Consumers on account of this Agreement, and this Agreement shall thereupon terminate.

4. For any underground facilities included in the work to be performed hereunder, the Customer shall provide, at no expense to Consumers, rough grading (not more than three inches below finished grade) so that the underground facilities can be properly installed in relation to the finished grade level. The Customer shall maintain the average elevation within six feet of any cable, conduit wire, conductor or other underground facility thereafter at a level not to exceed twelve inches above or three inches below the grade level established at the time of installation of said underground facilities. Further, the Customer shall maintain the ground surface elevation in an area four feet wide around any transformer pad, subsurface transformer, junction vault or other support at an elevation of not less than three inches and not more than six inches below the base of any transformer mounted on a pad or other support and not more than six inches below the top of any subsurface transformer or junction vault; provided, however, that changes in the ground surface elevation in excess of the limits herein prescribed may be permitted upon written consent of Consumers. Consumers will backfill and place excavated earth over any area of construction; the Customer is responsible for the final restoration of the construction area.

5. If any underground facilities or any portion thereof are to be installed between December 15 and April 15, the Customer shall, prior to installation of said underground facilities or portion thereof, pay Consumers an additional nonrefundable contribution per trench foot as stated in the "Computation of Electric Distribution System Line Extension Deposit and Contribution" for the portion of said facilities installed during said period (Winter construction/practical difficulties charge). The Customer will receive a credit for any part of such winter charge paid by other utilities for joint use of the trench or paid by the Customer for installation, by Consumers, of gas pipe in the same trench. No portion of said facilities will be installed between December 15 and April 15, unless the Customer has paid such additional contribution.

In addition, a further nonrefundable contribution in addition to that provided for herein may be required where, in Consumers' judgment, practical difficulties not considered in determining the Customer's estimate such as water conditions or rock near the surface are encountered during construction. If the Customer does not make such additional contribution within fifteen (15) days after receiving written notice of the necessity for and amount of such additional contribution, Consumers may, at its option, refund all payments made to it hereunder by the Customer, without interest and deducting reasonable expenses incurred by Consumers, and this Agreement shall thereupon terminate.

6. Consumers shall not be in breach of contract as a result of any delay in performing its obligations if such delay is due to strikes or other labor troubles; inability to obtain labor, materials, components, supplies, for any reason, including default of suppliers or subcontractors; acts of God; fire; flood; storm; earthquake or other natural calamities; war; insurrections; riot; embargoes; curtailment; order; regulations or restriction imposed by governmental authorities; or any other cause which is beyond the reasonable control of Consumers, whether of a similar or dissimilar nature and whether or not existing or foreseeable on the scheduled date of commencement of the work. Consumers shall have no obligation to settle any strike or other labor difficulty in a manner not completely satisfactory to it. Should any such delay occur, the time for the performance of Consumers' obligations shall be extended by a time equal to the length of the delay plus such additional time as is reasonably necessary to enable Consumers to resume performance of its obligations.

7. Consumers warrants that any work performed under this Agreement shall be performed by properly skilled personnel in accordance with generally accepted standards for the work being performed. The sole liability of Consumers for defective work under this warranty or otherwise, shall be limited to reperforming any such work on the same conditions as the original work. The foregoing is the Customer's exclusive remedy and, EXCEPT AS EXPRESSLY STATED HEREIN, THERE ARE NO OTHER WARRANTIES, EXPRESS, IMPLIED OR STATUTORY, INCLUDING THE WARRANTY OF MERCHANTABILITY OR FITNESS FOR ANY PURPOSE.

In no event shall Consumers be liable for any loss or damage whatsoever, by reason of its failure to discover, report or modify latent defect or defects inherent in the subject matter of the work. The aforementioned warranty is subject to the following conditions:

(a) Consumers shall not be responsible for repairs, replacements, or corrections made by others with respect to the work performed by Consumers.

(b) The Customer shall notify Consumers in writing of any breach or warranty with respect to the services performed by Consumers within ten (10) days after completion of the work.

8. THE TOTAL LIABILITY OF CONSUMERS, ITS AGENTS, EMPLOYEES, VENDORS AND CONTRACTORS WITH RESPECT TO ANY AND ALL CLAIMS ARISING OUT OF THIS CONTRACT INCLUDING THE PERFORMANCE OF OBLIGATIONS IN CONNECTION WITH THE WORK HEREUNDER, WHETHER BASED ON CONTRACT, WARRANTY, TORT (INCLUDING NEGLIGENCE), STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED IN AGGREGATE ONE THOUSAND DOLLARS (\$1,000.00) AND SHALL IN NO EVENT

INCLUDE INCIDENTAL OR CONSEQUENTIAL DAMAGES OF ANY NATURE INCLUDING, BUT NOT LIMITED TO, LOSS OF REVENUE OR ITS USE; LOSS BY REASON OF PLANT OR EQUIPMENT SHUTDOWN OR INABILITY TO OPERATE AT RATED CAPACITY; INCREASED EXPENSE OR OPERATION OF PLANT OR EQUIPMENT; INCREASED COSTS OF PURCHASING OR PROVIDING EQUIPMENT, MATERIALS, SUPPLIES OR SERVICES OUTSIDE CONSUMERS' SCOPE OR SUPPLY; COSTS OR REPLACEMENT POWER OR CAPITAL; CLAIMS OF THE CUSTOMER'S CUSTOMERS; OR INVENTORY OR USE CHARGES, EVEN IF CONSUMERS HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

This limitation of liability section shall prevail over any conflicting or inconsistent provisions contained herein or in any other applicable document and shall be in effect even if the remedy or remedies set forth herein fail in their essential purpose.

9. The Customer shall indemnify and hold Consumers, its agents, employees, vendors and contractor(s) harmless from and against, and shall at Consumers' option undertake the defense of, any and all claim, losses, liability and damage (including environmental harm) and including reasonable attorney's fees which Consumers might sustain or incur or which might be asserted by any third party against Consumers as a result of the services provided under this Agreement, whether based on warranty, contract, tort (including negligence), strict liability or otherwise, unless caused solely by the negligence of Consumers, its agents or employees.

10. Any assignment or any part thereof by the Customer without the previous written permission of Consumers shall be void and of no effect. Consumers may subcontract any services hereunder.

11. This agreement does not create an employer/employee relationship between the parties. Consumers will retain sole and absolute discretion over the manner and means of carrying out Consumers' responsibilities hereunder.

12. The terms of this Agreement shall not be changed superseded or supplemented, except in writing by an authorized representative of Consumers and by a duly authorized representative of Customer.

13. This Agreement shall be deemed a Michigan contract and shall be construed in accordance with and governed by the laws of the State of Michigan. With respect to the subject matter hereof, this Agreement supersedes all previous representations, understandings and negotiations, either written or oral, between the parties hereto or their representatives and constitutes the entire contract between the parties. This Agreement is intended for the benefit of the parties hereto and does not grant any rights to any third parties unless otherwise specifically stated herein. No part of any purchase order, request for proposal or other documents issued by Customer shall be binding upon Consumers or affect its rights or obligations hereunder unless signed by a duly authorized representative of Consumers.

14. This Agreement may be executed and delivered in counterparts, including by a facsimile or an electronic transmission thereof, each of which shall be deemed an original. Any document generated by the Parties with respect to this Agreement, including this Agreement, may be imaged and stored electronically and introduced as evidence in any proceeding as if original business records. Neither Party will object to the admissibility of such images as evidence in any proceeding on account of having been stored electronically.

15. Additional Items

---

---

---

---

---

---

---

---



PLAINFIELD CHARTER TOWNSHIP  
KENT COUNTY, MICHIGAN

RESOLUTION #14-\_\_

**RESOLUTION TO EXEMPT PLAINFIELD CHARTER  
TOWNSHIP FROM PUBLIC ACT 152 OF 2011 FOR THE YEAR 2015**

At a regular meeting of the Plainfield Charter Township Board held at the Township Offices, 6161 Belmont Avenue NE, Belmont, Michigan, on the 20<sup>th</sup> day of October 2014, at 7:00 PM, the following resolution was offered by Member \_\_\_\_\_ and supported by Member \_\_\_\_\_:

**WHEREAS**, MCL 15.568(1), being Section 8(1) of P.A. 152 of 2011, states that “By a 2/3 vote of its governing body each year, a local unit of government may exempt itself from the requirements of this act for the next succeeding year;” and

**WHEREAS**, the Township Board desires to exempt the Township from the requirements of the Act for the year 2015;

**NOW, THEREFORE**, it is resolved that:

1. The Township hereby exercises its option under MCL 15.568(1) and exempts itself from the requirements of P.A. 152 of 2011 for the year 2015.
2. A copy of this Resolution shall be forwarded to the appropriate State agency(ies) as necessary.

YEAS:  
NAYS:  
ABSENT:

MOTION PASSED. RESOLUTION #14-\_\_ DECLARED ADOPTED.

\_\_\_\_\_  
Ruth Ann Karnes, Clerk  
Plainfield Charter Township

# MEMO



**DATE:** 10/10/2014  
**TO:** CAMERON VANWYNGARDEN  
**CC:**  
**FROM:** CHIEF PETERSON  
**RE:** SMOKE ALARM PURCHASE

**Telephone (616) 361-2895**  
**Fax (616) 364-1187**  
**chiefp@plainfieldmi.org**  
**www.plainfieldfire.org**

PFD sent requests to Kidde and First Alert manufacturers as well as Lowes and Meijer for price quotes on the smoke alarms we need to implement the Smoke Alarm and Home Safety Program. We received responses from Kidde, Meijer, and Lowes. Kidde and Meijer are not able to get all four of the alarm types we need. Lowes is able to provide all four types of alarms at a lower price than a manufacturer; their pricing takes into consideration the potential quantities of each type of alarm we plan to purchase. Lowes has a three day turnaround time for orders. Payment is required at the time the order is placed and can be made by credit card. I recommend accepting Lowes quote to provide smoke alarms for this project as they are the only respondent who can provide all four alarm types.

The grant budget is not an operating budget, but a general development of cost using a “worst case scenario philosophy” to limit the potential of over obligating Township funds to offset unanticipated cost. Due to the large number of alarms PFD will need to purchase, we are able to get the ionization and photoelectric alarms at a significantly lower cost than we budgeted in our grant application. We will not purchase the entire quantity listed in the grant as the quantity is an estimate, cushioned to avoid any extra expense for the Township. It is impossible to accurately predict the number of alarms that will be needed, due to the fact that without surveying the homes prior to developing the budget, we can't know exactly how many smoke detectors will need to be installed. Our initial order will be for 300 ionization alarms, 200 photoelectric, 10 ADA with strobe, and 10 bed shaker alarms. We will purchase alarms monthly or as needed.

- ❖ UL Listed Photoelectric smoke alarms with a 10 year tamper proof battery  
**Budgeted Amount in Grant Application: \$25 each**  
**Lowes Cost (First Alert): \$15.22 each**  
 Budgeted Quantity: 4,860
- ❖ UL Listed Ionization smoke alarms with a 10 year tamper proof battery  
**Budgeted Amount in Grant Application: \$22 each**  
**Lowes Cost (First Alert): \$11.00 each**  
 Budgeted Quantity: 5,490
- ❖ UL Listed Plug in smoke alarm with ADA strobe  
 Budgeted Amount in Grant Application: \$100 each  
 Lowes Cost (Gentex): \$98 each  
 Budgeted Quantity: 24
- ❖ UL Listed Bed Shaker Smoke Alarm  
 Budgeted Amount in Grant Application: \$200  
 Lowes Cost (SafeAwake): \$241.94  
 Budgeted Quantity: 100

These variations in cost will reduce the amount obligated by just over \$100,000.



# Plainfield Charter Township

## Purchasing Authorization

1. **DESCRIPTION OF PURCHASE:** The Manufacturer, model number and/or generic description identifying the specific item(s) required to meet the purpose described below. An initial order of:  
 (300) First Alert (SA340CN) Ionization smoke alarms  
 (200) First Alert (P910B) photoelectric smoke alarms  
 (10) Gentex (7139LS) Plug in ADA strobe smoke alarms  
 (10) SafeAwake bedshaker alarms  
 With additional orders to be placed monthly or as necessary.

2. **PURPOSE:** Provide a brief description of the intended application(s) for the items to be purchased.  
 To be used for the implementation of the smoke alarm program

3. **ATTACH A MINIMUM OF THREE COMPETITIVE QUOTES.** (If sole source, describe efforts to identify other vendors to furnish the item(s) and why the other vendors were not asked to submit a competitive quotation. State all vendors solicited prior to submitting your Purchase Authorization, or attach a separate list.)  
 PFD sent requests to Kidde and First Alert manufacturers as well as Lowes and Meijer for price quotes on the smoke alarms we need to implement the Smoke Alarm and Home Safety Program. We received responses from Kidde, Meijer, and Lowes. Kidde and Meijer are not able to get all four of the alarm types we need. Lowes is able to provide all four types of alarms at a lower price than a manufacturer, their pricing takes into consideration the potential quantities of each type of alarm we plan to purchase.

4. **RECOMMENDATION:** COST OF ITEM(S) / BUDGET ACCT. NO.: List the item, vendor, the cost of each item, indicate whether this expense was listed in approved budget, whether there are sufficient funds in the budget line item account number to be charged.

Item	Vendor	Cost	Amount Budgeted*	Funds remaining* after Purchase	Budget Acct. Number
First Alert (SA340CN) ionization smoke alarms	Lowes	3300	6600	117480	101 336 775 001
First Alert (P910B) photoelectric smoke alarms	Lowes	3044	5000	118456	101 336 775 001
Gentex (7139LS) Plug in ADA strobe smoke alarms	Lowes	980	1000	1420	101 336 775 001
SafeAwake bedshaker alarms	Lowes	2419.40	2000	17580.60	101 336 775 001

\*Show line item budget and remaining amounts

5. Cost to Township (5%) - \$487.17  
**APPROVAL:**

Requestor's Name & Department: David R Peterson, Fire Department

Requestor's Signature: \_\_\_\_\_

DATE: \_\_\_\_\_

TOWNSHIP MANAGER OR DESIGNEE SIGNATURE: (necessary prior to purchase if item is > \$1,000, or item is not in current budget)

DATE \_\_\_\_\_

Date of Township Board Approval if > \$5,000.00 \_\_\_\_\_

PROJECT ESTIMATE

SMOKE ALARMS

CONTACT: FIRE DEPT, PLAINFIELD  
 CUST #: 9833264

SALESPERSON: MCCLINTIC, JUSTIN  
 SALES #: 1808896

PROJECT NUMBER: 420714128

DATE ESTIMATED: 09/27/14

QTY	ITEM #	ITEM DESCRIPTION	VEND PART #	PRICE
300	89398	SA340CN	SA340CN	3300.00
200	89398	P910B	P910B	3044.00
10	89398	7139LS	7139LS	980.00
10	429015	SART 9V 1.0	SART 9V 1.0	2419.40
TOTAL FOR ITEMS				9743.40
FREIGHT CHARGES				0.00
DELIVERY CHARGES				0.00
TAX AMOUNT				584.60
TOTAL ESTIMATE				10328.00

This Quote is valid until 10/27/14.

\_\_\_\_\_  
 MANAGER SIGNATURE

\_\_\_\_\_  
 DATE

THIS ESTIMATE IS NOT VALID WITHOUT MANAGER'S SIGNATURE.  
 THIS IS AN ESTIMATE ONLY. DELIVERY OF ALL MATERIALS CONTAINED IN THIS  
 ESTIMATE ARE SUBJECT TO AVAILABILITY FROM THE MANUFACTURER OR SUPPLIER.  
 QUANTITY, EXTENSION, OR ADDITION ERRORS SUBJECT TO CORRECTION. CREDIT  
 TERMS SUBJECT TO APPROVAL BY LOWES CREDIT DEPARTMENT.

LOWES IS A SUPPLIER OF MATERIALS ONLY. LOWES DOES NOT ENGAGE IN THE PRACTICE  
 OF ENGINEERING, ARCHITECTURE, OR GENERAL CONTRACTING. LOWES DOES NOT ASSUME  
 ANY RESPONSIBILITY FOR DESIGN, ENGINEERING, OR CONSTRUCTION; FOR THE  
 SELECTION OR CHOICE OF MATERIALS FOR A GENERAL OR SPECIFIC USE; FOR  
 QUANTITIES OR SIZING OF MATERIALS; FOR THE USE OR INSTALLATION OF MATERIALS;  
 OR FOR COMPLIANCE WITH ANY BUILDING CODE OR STANDARD OF WORKMANSHIP.

**From:** [Flais, John BIS](#)  
**To:** [aa@plainfieldfire.org](mailto:aa@plainfieldfire.org)  
**Cc:** [Zipser, Neal P UTCFS](#)  
**Subject:** RE: [External] FW: Smoke alarms  
**Date:** Monday, September 29, 2014 4:38:38 PM  
**Attachments:** [Plainfield MI Fire Department RFQ Sep-2014.pdf](#)  
[P3010L NWF Sheet.pdf](#)  
[I9010 Ten Year Sealed Sell Sheet.pdf](#)  
[SLFD177i Sheet.pdf](#)  
[Ultrasensitive CO Sheet.pdf](#)  
[i12040 \(21006378\) Sell Sheet.pdf](#)

---

Kathy –

Please find attached our quote for your smoke alarm project. The quote outlines our products and pricing that meet your request. All are UL Listed.

In addition to the quote, sell sheets on each product are attached.

Please let me know if you have any questions or require additional information.

We look forward to working with you.

Best regards,

John Flais  
Marketing Manager - Commercial  
Kidde  
(O) 919-563-5911 x8552  
(M) 614.312.4119  
(F) 919-563-3954  
[john.flais@fs.utc.com](mailto:john.flais@fs.utc.com)



Kidde R&C  
1016 Corporate Park Drive  
Mebane, NC 27302

September 29, 2014

Plainfield Fire Department  
4343 Plainfield Ave. NE  
Grand Rapids, MI 49525

**Subject:** Request For Quote – Ten year sealed battery smoke alarms

Kidde is please to quote the following UL Listed smoke alarms to meet your grant requirements:

**Kidde Model i9010 – UL Listed**

DC Ionization smoke alarm with ten year sealed battery  
Ordering # - 21008697 – individually boxed unit, 6 units per master carton  
Quantity 300 units  
Price - \$15.17/each.

**Kidde Model p3010 – UL Listed**

DC Photoelectric smoke alarm with ten year sealed battery  
Ordering # - 21010064 – individually boxed unit, 6 units per master carton  
Quantity 200 units  
Price - \$18.03/each.

**Kidde Model i12040 – UL Listed**

AC/DC hardwire ionization smoke alarm with battery backup  
Ordering # - 21006378 – individually boxed unit, 6 units per master carton  
Quantity 24 units  
Price - \$11.24/each

**Kidde Model SLED177i – UL Listed**

AC LED strobe light for the hearing impaired  
Ordering # - SL177i – individually boxed unit, 3 units per master carton  
Quantity 24 units  
Price - \$57.79/each.

**UL Listed Bed Shaker** – we do not manufacture or sell this item.

There are no shipping charges. We can arrange to meet the delivery requirements of a truck with a lift gate and pallet jack. Please specify this requirement when placing your order.

A specification sheet for each product is attached.

Thank you for the opportunity to quote. We look forward to working with you to support your program.

Best regards,

John Flais  
Marketing Manager - Commercial  
Office – 919-563-5911 x8552  
Email – [john.flais@fs.utc.com](mailto:john.flais@fs.utc.com)




# 120VAC Dual Mode LED Strobe Light for the Hearing Impaired

Model SLED177i

**Bright LED Strobe Light**  
Flashes to warn of a smoke, heat or carbon monoxide hazard.

**Green LED**  
Indicates AC power is being delivered to unit.



## Description

The Kidde SLED177i is a 120VAC wire in unit that provides a visual warning when part of an interconnected system. This unit can be directly interconnected with Kidde smoke alarms, heat alarms and carbon monoxide alarms (a maximum of 24 devices of which 18 can be initiating). When triggered by a smoke alarm or heat alarm, it will produce a steady flash warning. When triggered by a carbon monoxide alarm it will produce an intermittent flash warning. The SLED177i has a 10 year limited warranty and is UL Listed.

**ATTENTION!** The model SLED177i LED strobe light is designed to notify hearing impaired individuals of impending danger, it has no detection means and **MUST** be used in conjunction with operating interconnected Smoke, Heat, or Carbon Monoxide Alarms.

## Consumer Benefits

The Kidde SLED177i, used in conjunction with a smoke, heat or carbon monoxide alarm, provides a bright visual signal to warn of a smoke, heat or CO hazard. The Kidde LED SLED177i light benefits the hearing impaired, allowing a visual alert of a danger. This unit also includes a tamper resist pin that helps to deter thief and tampering.



## Architectural and Engineering Specifications

The LED strobe light shall be Kidde Unit SLED177i or approved equal. It shall be powered by a 120VAC, 60Hz source. The temperature operation range shall be between 32°F and 120°F (0°C and 49°C). The LED strobe light can be installed on any standard single gang electrical box, up to a 4" octagon junction box. The electrical connection (to the device) shall be made with a plug-in connector. A maximum of 24 Kidde devices can be interconnected in a multiple station arrangement. The interconnect system must not exceed the NFPA (National Fire Protection Association) limit of 18 initiating devices (Smoke, heat, CO, etc) interconnected. With 18 initiating devices, it is still possible to interconnect 6 strobe lights and/or relay modules.

The unit can be directly interconnected with Kidde Safety 3-wire Smoke, Heat and CO alarms. It will produce an intermittent strobe flash pattern (approximately 4 flashes, followed by approximately 5 seconds off) when triggered by a Carbon Monoxide alarm, and a flash every second when triggered by a smoke or heat alarm. The unit shall at a minimum meet the requirements of UL1971, NFPA72, the State of California Fire Marshall, NFPA101 (One and two family dwellings, Federal Housing Authority (FHA), Housing and Urban Development (HUD), Americans with Disabilities Act (ADA). The unit shall be UL Listed.

## Technical Specifications

Model:	SLED177i
Power Source:	120VAC, 60HZ
Electrical Rating:	96 - 132 VAC, 60HZ, 630 mA max
Temperature Range:	32°F to 120°F (0°C to 49°C)
Flash Rate:	Fire: Constant 1 flash per second CO: Intermittent 1 flash per second (4 flashes, 5 seconds off)
Light Output	177 Candela
Size:	5.6" in diameter x 3" depth
Weight:	.85 lb
Interconnects:	Up to 24 Kidde devices of which 18 can be initiating devices.
Warranty:	10 year limited warranty

## Installation of Strobe Light

The LED strobe light should be installed to comply with all local codes having jurisdiction in your area, Article 760 of the National Electric Code, and NFPA 72. Make certain all devices are wired to a single, continuous (non-switched) power line, which is not protected by a ground fault interrupter. A maximum of 1000 ft. of wire can be used in the interconnect system. Light output gradually decreases as viewing angle is increased. Consult chart in users guide to determine the best location for the strobe light installation.

## Ordering Information Not for sale by individual unit

Ordering Number	UPC	I2F5	Pack Config.	Pack Quantity	Dimensions (w x d x h inches)	Weight	Cartons/Pallet
SL177i	0-47871-24003-6	200-47871-24003-0	BOX	6	6.2 x 10.4 x 6.2	2.95	168



1016 Corporate Park Drive  
Mebane NC 27302  
1-800-880-6788  
www.Kidde.com

**Distributed by:**

## 120V AC/DC Wire-in Smoke Alarm

### Battery Backup

Part Number 21006378

Model i12040

- Ionization Sensing Technology
- One button design (operates Smart Hush™ and test)
- Large mounting base
- 9V Battery Backup (included)
- Tamper resist feature
- Alarm memory
- Pre-stripped wiring harness with tinned strands



### Description

The Kidde i12040 is an AC/DC powered, ionization smoke alarm that operates on a 120V power source with 9V battery backup.

This alarm uses ionization sensing technology. Ionization sensing alarms may detect invisible fire particles (associated with flaming fires) sooner than photoelectric alarms. Photoelectric sensing alarms may detect visible particles (associated with smoldering fires) sooner than ionization alarms.

*Kidde strongly recommends that both ionization and photoelectric smoke alarms be installed to help insure maximum detection of the various types of fire that can occur within the home.*

This smoke alarm is available in a 6-piece cut case with tray for easy display as well as a 6-piece bulk pack for contractors and property owners. This unit is a UL Listed product with a 10-year limited warranty.

### Install Confidence

#### Easy Installation

- Front battery pull tab allows battery activation without removing alarm from mounting bracket.
- Large mounting base makes mounting easier, protects surface paint from dirt and covers imperfections.
- Pre-stripped wiring harness with easy off cap does not require stripper tool. Tinned strands increase conductivity and wire nut grip.

#### Fewer Callbacks

- One button design for easy operation and less confusion. Operates Smart Hush™ and alarm test
- Battery run down protection will shut down alarm memory when AC power is not present, reducing low battery chirp.
- Dust cover protects sensor from contaminants during construction reducing nuisance alarms

#### User-Friendly Features

- Tamper resist locking feature deters alarm theft
- Alarm memory flashes red LED indicating which unit was the initiating alarm in interconnected system.
- Interconnectable with up to 24 devices (of which 18 can be initiating) including smoke, CO and heat alarms. See user's guide for complete instructions.



## Architectural and Engineering Specifications

The smoke alarm shall be Kidde model i12040 or approved equal. It shall be powered by a 120VAC, 60Hz source along with a 9V battery backup. The unit shall incorporate an ionization sensor with nominal sensitivity of .50 to .98%ft. The temperature operation range shall be between 40°F and 100°F (4°C and 38°C) and the humidity operating range shall be 5% - 95% relative humidity.

The smoke alarm can be installed on any standard single gang electrical box, up to a 4" octagon junction box. The electrical connection (to the alarm) shall be made with a plug-in connector. A maximum of 24 Kidde devices can be interconnected in a multiple station arrangement. The interconnect system must not exceed the NFPA (National Fire Protection Association) limit of 18 initiating devices, of which 12 can be smoke alarms. With 18 initiating devices (smoke, heat, CO, etc.), interconnected, it is still possible to interconnect 6 strobe lights and or relay modules. The unit shall provide optional tamper resistance that deters removal of the unit from the wall or ceiling.

The alarm shall include a test button that will electronically simulate the presence of smoke and cause the unit to go into alarm. This sequence tests the unit's electronics, battery and horn to ensure proper operation.

The unit shall include a piezoelectric horn that is rated at 85 decibels at 10 feet. The unit shall include Smart Hush<sup>®</sup> feature that silences the unit for approximately 7 minutes if a nuisance condition occurs. The unit shall also include a low battery warning utilizing a brief alarm chirp every 30-40 seconds for a minimum of seven (7) days.


The unit shall incorporate red and green LED indicators. The green LED (when illuminated) indicates the presence of AC power. The red LED (located under the TEST/Hush button) has four modes of operation:

**Standby Condition:** The red LED will flash every 30-40 seconds to indicate that the smoke alarm is operating properly. **Alarm Condition:** When the alarm senses products of combustion and goes into alarm the red LED will flash one flash per second. The flashing LED and pulsating alarm will continue until the air is cleared. When units are interconnected, only the red LED of the alarm that senses the smoke or is being tested (the originating unit) will flash. All other units in the interconnected system will sound an alarm but their red LED's will NOT flash. **Alarm Memory:** This smoke alarm is equipped with an alarm memory, which provides a visual indication when an alarm has been activated. The red LED will illuminate for about 1.5 seconds every 16 seconds to indicate the memory condition. **Smart Hush<sup>™</sup> Mode:** The red LED will illuminate for 1.5 seconds every 8 seconds, indicating the smoke alarm is in the Smart Hush<sup>™</sup> Mode.

The unit shall at a minimum meet the requirements of UL217, NFPA72, (chapter 11), The State of California Fire Marshall, NFPA 101 (One and two family dwellings) Federal Housing Authority (FHA), Housing and Urban Development (HUD). It shall also include a 10-year manufacture's limited warranty.


## Installation of Smoke Alarm

The smoke alarm must be installed to comply with all local codes having jurisdiction in your area. All wiring shall be in accordance with articles 210 and 300.3(B) of the US National Electrical Code, ANSI / NFPA 70 and NFPA 72. The multiple station interconnect wiring must be in the same raceway as the AC power wiring. In addition the resistance if the interconnect wiring shall be a maximum of 10 ohms. Make certain all alarms are wired to a single, continuous (non-switched) power line, which is not protected by a ground fault interrupter. A maximum of 1000 ft. of wire can be used in the interconnect system. Use standard UL listed household wire as required by code



## Technical Specifications

Model Number:	i12040
UPC:	0-47871-40381-3
Power Source:	120VAC (80mA) with 9V Battery Back Up
Sensor:	Ionization
Audio Alarm:	85dB at 10ft
Temperature Range:	40°F (4.4°C) to 100°F (37.8°C)
Humidity Range:	5%-95% relative humidity (RH)
Size:	5.6" in diameter x 1.55" depth
Weight:	.5lb
Interconnects:	Up to 24 Kidde devices
Wiring:	Quick-connect plug with 8" pigtails
LED:	Red, 4 modes of operation Green, indicates AC power
Warranty:	10 year limited



## Ordering Information

Ordering Number	UPC	I2F5	Pack Quantity	Dimensions (w x d x h inches)	Weight	Case/Skid	Layers/Skid	Skid Weight
N/A	0-47871-40381-3	N/A	individual*	5.75 x 1.5 x 5.75	0.5 lbs	N/A	N/A	N/A
21006378	0-47871-40381-3	100-47871-40381-0	Cut Case (6 units)	6.5 x 13.25 x 6	3 lbs	147	7	441 lbs
21006373	0-47871-09970-2	200-47871-09970-2	Bulk Pack (6 units)	6 x 10.5 x 6	3 lbs	147	7	441 lbs
21006930	0-47871-40381-3	300-47871-40381-4	Display Pallet (36 units)	20 x 24 x 40	20lbs	4	1	90 lbs
Alk. Btry 21006928	0-25417-12751-5	100-25417-12751-2	Cut Case (6 units)	6.5 x 13.25 x 6	3 lbs	147	7	441 lbs
Lith. Btry 21006929	0-25417-01276-7	100-25417-01276-4	Cut Case (6 units)	6.5 x 13.25 x 6	3 lbs	147	7	441 lbs
21006375**	0-47871-27552-6	100-47871-27552-3	Cut Case (6 units)	6.5 x 13.25 x 6	3 lbs	147	7	441 lbs
21006372**	0-47871-09969-9	100-47871-09969-3	Cut Case (3 Twin Packs)	6.5 x 13.25 x 6	3 lbs	147	7	441 lbs

\*Not for sale by individual unit

\*\*Includes Wiring Adapters



1016 Corporate Park Drive  
Mebane NC 27302  
1-800-880-6788  
www.Kidde.com



Distributed by:



# Sealed Battery Smoke Alarm with Hush™

Part Number 900-0136

Model i9010 (formerly model 0910)

## LED Indicator

A flashing red indicator light with four modes of operation: Standby, alarm mode, hush mode and memory set

## Test/Reset Button

One button tests the unit's circuit operation and resets memory after an alarm condition occurs

## Hush™ Feature


Temporarily silences nuisance alarms. Will not allow hush to be activated unless unit is in alarm mode.

## Battery Operated

No wiring needed

## Sealed-In Lithium Battery

Unit will continue to operate for 10 years



## Description

The Kidde i9010 is a 10-year, sealed battery, ionization, smoke alarm with Alarm Memory and Hush™ feature. The innovative design of this alarm's automatic activation is unlike any other smoke alarm. The i9010 alarm will automatically activate when it is attached to the mounting bracket; there are no pull-tabs, no switches, everything is automatic. *At the end of the alarm life, the unit will chirp, indicating the alarm is in need of replacement.* The customer can use a simple tool such as a screwdriver to deactivate the unit, stopping the low battery chirp and making it safe for disposal.

The sealed-in board-mounted battery will power the i9010 unit for its complete 10-year life. No replacement battery will ever be needed.

This alarm uses ionization sensing technology. Ionization sensing alarms may detect invisible fire particles (associated with flaming fires) sooner than photoelectric alarms. Photoelectric sensing alarms may detect visible particles (associated with smoldering fires) sooner than ionization alarms.

*Kidde strongly recommends that both ionization and photoelectric smoke alarms be installed to help insure maximum detection of the various types of fire that can occur within the home*

The Kidde i9010 sealed battery operated smoke alarm features a self-activation mechanism making installation simple and easy. It also features Hush™ feature allowing consumers to temporarily silence nuisance alarms and an End of Life Alert indicating it is time to replace the alarm.

At the end of the alarm's 10-year life, deactivation of the alarm is just as easy. Using a tool such as a small screwdriver, a deactivation switch removes power from the alarm and renders the battery safe for disposal. The alarm lockout feature mechanically prevents a deactivated unit from being mounted back on the mounting bracket.

## Features and Benefits

- **Sealed-In Lithium Battery** – Sealed-in lithium power supply; no battery replacement required over the 10 year life of the alarm. Eliminates worry about battery removal or unauthorized deactivation of alarm.
- **Self Activation** – Alarm automatically activates when attached to the mounting bracket.
- **Alarm Memory** – Rapidly flashing LED alerts user if the alarm has sounded since the last time the test/reset button was used.
- **Hush™** – Will temporarily silence nuisance alarms and will not allow hush mode to be activated unless the unit is in alarm mode.
- **Test/Reset Button** – Tests unit's circuit operation and resets memory after an alarm condition occurs.
- **End of Life Warning** – Alarm chirps every 40-45 seconds indicating the alarm is in need of replacement.
- **Tamper Resist** – (when activated upon installation) effective in preventing someone from removing the unit from the mounting bracket.
- **LED** – A flashing red indicator light with four modes of operation: standby, alarm mode, hush mode, and memory set.



## Architectural and Engineering Specifications

The smoke alarm shall be Kidde unit i9010/i9010CA or approved equal. It shall be powered by a non-replaceable lithium battery with a 10-year life. The lithium battery shall be sealed in the unit to prevent removal and/or tampering. The unit shall incorporate an ionization sensor with nominal sensitivity of 0.88%/ft (.95%/ft for unit i9010CA). The temperature operating range shall be between 40°F and 100°F (4°C and 38°C) and the humidity operating range shall be 5% - 85% relative humidity.

The smoke alarm can be installed on the surface of any wall or ceiling following the UL/Manufacturer's approved placement guidelines. The alarm shall incorporate an automatic activation feature that will activate the unit as soon as it is attached to the mounting bracket, no other steps are involved. The alarm shall provide optional tamper resistance that locks the unit to the mounting bracket and deters removal of the unit from the wall or ceiling.

The alarm shall include a test button that will simulate a fire condition and cause the unit to go into alarm. This sequence tests the unit's electronics to ensure proper operation.


The unit shall include a piezoelectric horn that is rated at 85 decibels at 10 feet. The unit shall include the Hush™ feature that silences the unit for 7-9 minutes if a nuisance condition occurs. The red LED will illuminate for 1 seconds every 8 seconds and will automatically reset itself. If the alarm is in the Hush mode and the condition that triggered the alarm persists, the alarm shall sound again to signal potential danger despite its presence in Hush Mode. The unit shall incorporate one red LED to indicate the alarm's current status and mode of operation. The LED will indicate one of four modes:

- Standby Mode:** LED will flash every 40-45 seconds to indicate the unit is operating correctly
- Alarm Mode:** LED will flash every 1.5 seconds to indicate the unit is alarming and will be accompanied by the horn sounding (Model i9010CA LED will flash on for 1 second and off for 1 second)
- Hush Mode:** LED will illuminate for 1 seconds every 8 seconds to indicate the unit is temporarily silenced
- Memory Set Mode:** If Alarm Memory has been set, the LED will flash rapidly when the test button is pressed.

The unit shall include an End of Life Alert which indicates the alarm needs to be replaced. The unit will "chirp" once every 40-45 seconds to notify the user. The unit shall have a deactivation switch to disable it and make it safe for disposal. The unit shall at a minimum meet the requirements of UL217, NFPA72, (chapter 11 2002 edition) The State of California Fire Marshall, NFPA101 (One and two family dwellings) Federal Housing Authority (FHA), Housing and Urban Development (HUD).

## Technical Specifications

Model:	i9010 (i9010CA Canadian model)
UPC Number:	0-47871-90136-4
Power Source:	One, 3V Lithium battery
Sensor:	Ionization
Audio Alarm:	85dB at 10ft
Temperature Range:	40°F (4.4°C) to 100°F (37.8°C)
Humidity Range:	5%-85% relative humidity (RH)
Size:	5.6" in diameter x 1.55" depth
Weight:	1 lb.
Interconnects:	No
LED:	Four modes of operation
Warranty:	10 year limited



## Ordering Information

**Clamshell UPC:** 0 47871 90136 4  
**Gift Box:** 0 47871 08697 9

Part Number	1 of 5	Pack Quantity	Dimensions (w x d x h inches)	Weight	Case/Skid	Skid Weight
900-0136 N/A	N/A	Individual Clamshell	7.25 x 1.75 x 11	1 lbs	N/A	N/A
900-0136 N/A	N/A	Individual Box	5.75 x 2 x 6.25	1 lbs	N/A	N/A
900-0136-003	100 47871 90136-1	PDQ (3 units)	7.75 x 6 x 11.75	3 lbs	108	972 lbs
900-0136-020	200 47871 90136-8	Master Pack (20 units)	16 x 24 x 12	20 lbs	12	240 lbs
21007387	400 47871 90136-2	4pc Tray and Lid	7.75 x 9.25 x 11.75	4 lbs	75	300 lbs
21008697	100 47871 08697-6	Gift Box, 6pc Master Pack	6 x 13 x 6.25	6 lbs	144	872 lbs



1016 Corporate Park Drive  
Mebane NC 27302  
1-800-880-6788  
www.Kidde.com

**Distributed by:**



## Living Area Smoke Alarm Sealed Lithium Battery Power

Model P3010L

### Test/Hush Button

A single button that tests alarm circuitry and temporarily silences nuisance alarms.

### LED Indicator

A flashing red indicator blinks to correspond with alarm sound, unit error mode, and standby condition.

### Sealed-In Lithium Battery

Unit will continue to operate for 10 years. Alerts user to replace alarm after 10 years of operation.



## Description

The Kidde P3010L is a 10-year, sealed battery, smoke alarm with photoelectric sensing technology and Smart Hush feature. The innovative design allows for automatic activation once the unit is attached to the mounting bracket; there are no pull-tabs, no switches, everything is automatic. At the end of alarm life, the unit will chirp, indicating the alarm is in need of replacement. The customer can use a simple tool such as a screwdriver to deactivate the unit, stopping the chirp and making it safe for disposal.

The P3010L contains a 10-year tamper proof battery that eliminates the need for battery replacement, and ends worry over unauthorized battery removal. The alarm provides continuous protection from smoke and fire, even during power outages.

This alarm uses photoelectric sensing technology. Photoelectric sensing alarms may detect visible particles (associated with smoldering fires) sooner than ionization alarms. Ionization sensing alarms may detect invisible fire particles (associated with flaming fires) sooner than photoelectric alarms.

*Industry experts (such as the NFPA), recommend that both ionization and photoelectric smoke alarms be installed to help insure maximum detection of the various types of fires that can occur within the home. Ionization sensing alarms may detect invisible fire particles (associated with fast flaming fires) sooner than photoelectric alarms. Photoelectric sensing alarms may detect visible fire particles (associated with slow smoldering fires) sooner than ionization alarms.*

## Features and Benefits

- **Sealed-In Lithium Battery** – Sealed-in lithium power supply; no battery replacement required over the 10 year life of the alarm. Eliminates worry about battery removal or unauthorized deactivation of alarm.
- **Photoelectric Sensor** – Advanced photoelectric sensor may detect visible particles (associated with smoldering fires) sooner than ionization alarms.
- **Self Activation** – Alarm automatically activates when attached to the mounting bracket.
- **Alarm Memory** – Rapidly flashing LED alerts user if the alarm has sounded since the last time the test/reset button was used.
- **Test/Hush Button** – Tests alarm circuitry and activates Hush features.
- **Smart Hush™** – Temporarily silences nuisance alarms for approximately 10 minutes and will not allow hush mode unless the unit is in alarm mode.
- **LED** – Red LED will blink in conjunction with the alarm sound.
- **End of Life Warning** – Alarm chirps every 30 seconds to indicate the unit is in need of replacement.
- **End of Life Hush®** – End of life indication can be silenced three days at a time up to 30 days to allow for alarm replacement at a more convenient time.
- **UL Listed**
- **10 Year Limited Warranty**



## Architectural and Engineering Specifications

The smoke alarm shall be Kidde unit P3010L or approved equal. It shall be powered by a non-replaceable lithium battery with 10-year life. The lithium battery shall be sealed in the unit to prevent removal and/or tampering. The unit shall incorporate a photoelectric sensor. The temperature operating range shall be between 40°F and 100°F (4°C and 38°C) and the humidity operating range shall be 10%-85% non-condensing relative humidity.

The smoke alarm can be installed on the surface of any wall or ceiling following the UL/Manufacturer's approved placement guidelines. The alarm shall incorporate an automatic activation feature that will activate the unit as soon as it is attached to the mounting bracket, no other steps are involved.

The alarm shall include a test button that will electronically simulate the presence of smoke and cause the unit to go into alarm. This sequence tests the unit's electronics, battery and horn to ensure proper operation.

The unit shall include a piezoelectric horn that is rated at 85dB at 10 feet. The unit shall include Smart Hush™ feature that silences the unit for approximately 10 minutes if a nuisance condition occurs.


The unit shall indicate a low battery condition with a brief alarm chirp and LED flash once every 30 seconds. In standby condition, the LED will flash every 60 seconds for the first 10 minutes following power on or test, and once every 10 minutes thereafter. It will also flash every 10 seconds while in Hush mode.

The smoke alarm shall include an End of Life Alert, where ten years after initial power-up the unit shall chirp two times every 30 seconds to indicate the alarm needs to be replaced. The End of Life signal can be silenced three days at a time for a maximum of 30 days. The unit shall have a deactivation switch to disable it and make it safe for disposal.

The unit shall at a minimum meet the requirements of UL217, NFPA 72 (chapter 11 2002 edition), The State of California Fire Marshall, NFPA101 (One and two family dwellings), Federal Housing Authority (FHA), Housing and Urban Development (HUD). It shall also include a 10-year manufacturer's limited warranty.

## Technical Specifications

<b>Model:</b>	P3010L
<b>Power Source:</b>	Sealed Lithium Battery
<b>Sensor:</b>	Photoelectric
<b>Audio Alarm:</b>	85dB at 10ft
<b>Temperature Range:</b>	40°F (4.4°C) to 100°F (37.8°C)
<b>Humidity Range:</b>	10%-85% non-condensing relative humidity (RH)
<b>Size:</b>	5.22" in diameter x 1.6" depth
<b>Weight:</b>	1 lb.
<b>Interconnects:</b>	No
<b>Warranty:</b>	10 year limited



## Ordering Information

Part No:	I 2 of 5	UPC	Pack Quantity	Dimensions (w" x d" x h")	Weight	Case/Skid	Skid Weight
21010164	100-47871-10164-8	0-47871-10164-1	3-PK (Clam)	7.25 x 1.75 x 11	1 lbs	N/A	N/A
21010064	100-47871-10064-1	0-47871-10064-4	6-PK (Box)	5.75 x 2 x 6.25	1 lbs	N/A	N/A

### Distributed by:



1016 Corporate Park Drive  
 Mebane NC 27302  
 1-800-880-6788  
 www.Kidde.com



# Ultra-Sensitive Battery Powered Carbon Monoxide Monitor

Model KN-COU-B


Detects Low Levels of Carbon Monoxide  
Indicates the presence of low levels of CO.

Digital Display  
Displays current CO levels.

Test/Reset Button  
Tests unit's electronic circuitry & horn and resets the unit during alarm.

LED's  
Red LED for alarm, Green LED for normal operation.

Peak Level Memory  
Recalls the highest carbon monoxide level detected.



**Alerts user to replace after 10 years of operation**

## Description

The Kidde KN-COU-B is a carbon monoxide monitor that indicates the presence of low CO levels. Like smoke and CO alarms, this CO monitor samples the air in your home and sounds a loud alarm to warn you of life threatening conditions. In addition, this monitor will indicate low levels of CO (below 30 PPM) which may have health implications if you suffer from certain pre-existing health or medical conditions. The digital display feature adds an advanced level of monitoring showing CO levels as low as 10 PPM.

This monitor includes a slide-out battery door that gives immediate access to the batteries and a safety feature that makes it difficult to close the door without the batteries being installed. Easy installation options include wall mount or table top placement. A quick reference guide of possible alarm conditions is included, and inside cover of battery door explains what to do in case of an alarm. The KN-COU-B is UL 2075 listed and includes a 10-year limited warranty.

*This carbon monoxide monitor cannot be used to meet code requirements which require the installation of a CO monitor which complies with the alarm requirements set forth in Underwriter's Laboratory standard 2034 (UL 2034).*

*Individuals with potential extreme sensitivities to low CO concentrations due to pre-existing medical and health conditions should consult their health care provider to determine the benefits which may be provided by a low level CO monitor.*

## Features and Benefits

- **Provides Warning of Low Levels of Carbon Monoxide** – May provide additional protection to those who are sensitive to lower levels of CO such as those who are elderly, pregnant, or have respiratory problems.
- **Digital Display** – Continuous display shows CO levels as low as 10 PPM (parts per million). Updates digital reading every 15 seconds to let you see if levels have changed.
- **Fastest Notification** – Provides audible and visual notification of CO levels below 30 PPM.
- **Hush Mode** – Low level warnings can be silenced by pressing Test/Reset button.
- **Peak Level Memory** – Displays the highest CO concentration measured since the last reset.
- **Battery Operated** – (3 AA's included) Provides protection during power outages.
- **Battery Lockout System** – Deters covering battery compartment without installation of batteries.
- **Low Battery Signal** – Alerts user when the batteries need to be replaced.
- **10 Year End of Life Warning** – Alerts user to replace CO monitor after 10 years of operation
- **10 Year Limited Warranty**
- **UL 2075 Listed**



## Architectural and Engineering Specifications

The carbon monoxide monitor shall be Kidde Model KN-COU-B or approved equal. It shall be powered by three (3) AA batteries (included). The temperature operating range shall be between 40°F (4°C) and 100°F (37.8°C) and the humidity operating range shall be 10% - 95% relative humidity.

The monitor can be installed on the surface of any wall or table top following the UL/Manufacturer's recommended placement guidelines. The alarm shall include a battery lockout system that deters closure of the battery door without batteries being installed.

The unit shall incorporate 2 LEDs. A green LED will flash once every 30 seconds to indicate normal operation, or flash 4 times every 10 seconds to signal low levels of CO. The red LED will pulse to indicate higher levels of CO have been detected.

The monitor shall include a piezoelectric horn that is rated at 85 decibels at 10 feet. When low or mid level concentrations of CO have been detected, the monitor will beep two times every 10 seconds. When high levels of CO are detected the monitor will beep four times every five seconds.


The monitor shall include a test button that will electronically simulate the presence of CO and cause the unit to go into alarm. This sequence tests the unit's electronics to ensure proper operation. The monitor will initiate LED and/or audible notification in the following time range when exposed to the corresponding levels of CO.

	Low Level	Mid Level	CO Alarm
<b>20 ppm</b>	20-115 minutes	>115 minutes	n/a
<b>70 ppm</b>	0-20 minutes	20-60 minutes	60-240 minutes
<b>150 ppm</b>	0-7.5 minutes	7.5-21 minutes	10-50 minutes
<b>400 ppm</b>	0-4 minutes	3-8 minutes	4-15 minutes
<b>Alarm Pattern</b>	4 green flashes 10 seconds off	4 green, 2 red flashes & 2 chirps every 10 seconds	4 red flashes and 4 chirps every 5 seconds.

The unit shall include a 10-year manufacturer's limited warranty.

## Technical Specifications

<b>Model:</b>	KN-COU-B
<b>Power Source:</b>	3-AA Batteries
<b>Sensor:</b>	Electrochemical
<b>Audio Alarm:</b>	85dB at 10ft
<b>Temperature Range:</b>	40°F (4.4°C) to 100°F (37.8°C)
<b>Humidity Range:</b>	10%-95% non-condensing relative humidity (RH)
<b>Size:</b>	4.5" L x 2.75" H x 1.5" D
<b>Weight:</b>	.5 lb.
<b>Interconnects:</b>	No
<b>Warranty:</b>	10 year limited



## Ordering Information

Part Number	UPC	Pack Quantity	Dimensions	I 2 of 5	Weight	Items/Skid
21009942	0-47871-09942-9	Master Pack (6 units)	6" x 12" x 3.25	100-47871-09942-6	6 lb	1296

### Distributed by:



1016 Corporate Park Drive  
Mebane NC 27302  
1-800-880-6788  
www.Kidde.com

**From:** [Reno Jr. Floyd](#)  
**To:** [Kathy Ensley](#)  
**Subject:** FW: Smoke Alarms  
**Date:** Wednesday, October 08, 2014 2:23:11 PM  
**Attachments:** [image004.png](#)

---

I received some info back from First Alert.

We carry both the ionization 10 year sealed and the photo 10 year sealed alarms.

I cannot get the bed shaker alarm or a plug in smoke w strobe – see comments below.

The only strobe detector they make is direct wired, which I am sure you would not want.

Let me know if we can help you out with the two high volume models.

Thanks

**meijer**

Floyd Reno  
Buyer #880  
Hardware / Paint  
2350 3 Mile Rd. NW  
Grand Rapids, MI 49544  
616-735-7261  
[floyd.renojr@meijer.com](mailto:floyd.renojr@meijer.com)

---

**From:** Hamilton, Brooke [<mailto:bhamilton@jardensafety.com>]  
**Sent:** Wednesday, October 08, 2014 2:07 PM  
**To:** Reno Jr, Floyd  
**Cc:** Dave Devine ([dave@wodikadevine.com](mailto:dave@wodikadevine.com))  
**Subject:** RE: Smoke Alarms

Floyd

This is the first I am seeing of this so if you sent it before, I apologize because I never got it.

- We do not sell a bed shaker
- We do have a strobe light alarm that no retailers currently carry but we could quote you if needed. It is not a plug in smoke alarm, it is an AC/DC. To be honest, I have never heard of a plug in smoke alarm due to the fact that smoke alarms have to be mounted on the ceiling or within 10" of the ceiling (smoke rises)  
<http://www.brkelectronics.com/product/7010BSL>
- you do carry an Ionization 10 year sealed – 274749
- you do carry a photo 10 year sealed - 3540303

let me know what else you need

Thanks,  
Brooke

---

**From:** Reno Jr, Floyd [<mailto:Floyd.RenoJr@meijer.com>]  
**Sent:** Wednesday, October 08, 2014 12:55 PM  
**To:** Hamilton, Brooke  
**Cc:** Dave Devine ([dave@wodikadevine.com](mailto:dave@wodikadevine.com))  
**Subject:** FW: Smoke Alarms

Please respond to me ASAP on which PIDs would meet their requirements.

I sent this a few weeks ago and did not hear back from you.

Thanks

**meijer**

Floyd Reno  
Buyer #880  
Hardware / Paint  
2350 3 Mile Rd. NW  
Grand Rapids, MI 49544  
616-735-7261  
[floyd.renojr@meijer.com](mailto:floyd.renojr@meijer.com)

---

**From:** Kathy Ensley [<mailto:aa@plainfieldfire.org>]  
**Sent:** Wednesday, October 08, 2014 8:49 AM  
**To:** Reno Jr, Floyd  
**Subject:** FW: Smoke Alarms

Hi Floyd,

We did not receive a response from you regarding our smoke alarm program (please see the attached). We have been having issues with internet and email so I wanted to confirm you did receive the previous email. If this is something you would like to submit a proposal for, please let me know a.s.a.p.

Thank you for your time.

*Kathy Ensley*

**Admin. Assistant to the Fire Chief**

Plainfield Fire Department  
4343 Plainfield Avenue NE

Grand Rapids, MI 49525

Phone: (616) 361-2895 Fax: (616) 364-1187

"To provide those services, either proactive or emergency, necessary to protect and enhance the quality of life for the residents and visitors to Plainfield Charter Township."

---

**From:** Kathy Ensley [<mailto:aa@plainfieldfire.org>]  
**Sent:** Wednesday, September 24, 2014 1:44 PM  
**To:** 'floyd.renojr@meijer.com'  
**Subject:** Smoke Alarms

Floyd,

I received your contact information from my friend, Sharon Weih. Please see the attached letter.

Thank you for your time.

*Kathy Ensley*

**Admin. Assistant to the Fire Chief**

Plainfield Fire Department

4343 Plainfield Avenue NE

Grand Rapids, MI 49525

Phone: (616) 361-2895 Fax: (616) 364-1187

"To provide those services, either proactive or emergency, necessary to protect and enhance the quality of life for the residents and visitors to Plainfield Charter Township."

---

NOTE: This electronic message and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this message in error, any unauthorized review, use, disclosure, distribution or copying of this message is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message. Unless expressly stated in this e-mail, nothing in this message should be construed as a digital or electronic signature or writing.

---

NOTE: This electronic message and any files transmitted with it are confidential and intended solely for the use of the individual or entity to whom they are addressed. If you have received this message in error, any unauthorized review, use, disclosure, distribution or copying of this message is prohibited. If you are not the intended recipient, please contact the sender by reply e-mail and destroy all copies of the original message. Unless expressly stated in this e-mail, nothing in this message should be construed as a digital or electronic signature or writing.

**PLAINFIELD CHARTER TOWNSHIP  
KENT COUNTY, MICHIGAN**

**SPECIAL ASSESSMENT DISTRICT RESOLUTION NO. 5 amending  
Resolution No. 4**

**WEST MICHIGAN BASEBALL WATER EXTENSION SPECIAL  
ASSESSMENT DISTRICT  
CONFIRMATION OF SPECIAL ASSESSMENT ROLL; LIEN;  
PAYMENT AND COLLECTION OF SPECIAL ASSESSMENT**

At a regular meeting of the Township Board of the Plainfield Charter Township, Kent County, Michigan, held in the Township Hall, 6161 Belmont Avenue, Belmont, Michigan 49306 in said Township on October 20, 2014, at 7:00 pm.

PRESENT: \_\_\_\_\_  
ABSENT: \_\_\_\_\_

The following resolution was offered by Member \_\_\_\_\_ and supported by Member \_\_\_\_\_:

**WHEREAS**, the Township Board, pursuant to Act 188 of the Public Acts of Michigan of 1954, as amended (the "Act"), has resolved its intent to make the water extension improvements described in Exhibit A hereto (the "Improvements") for the special assessment district known as the WEST MICHIGAN BASEBALL WATER EXTENSION SPECIAL ASSESSMENT DISTRICT (the "Special Assessment District"); and

**WHEREAS**, the Township Board previously confirmed the Special Assessment Roll against the single parcel of land which comprises the Special Assessment District; and

**WHEREAS**, due to unforeseen circumstances, the cost of completing the Improvements is \$26,000.00 higher than the previous cost estimate of \$370,000. The revised cost of \$396,000.00 is less than 10% above the original estimate; and

**WHEREAS**, no additional hearing is required since prior notice to the sole property owner provided that the amount assessed could be increased up to 10% above the estimated amount without a public hearing; and

**WHEREAS**, as reflected by a Consent to Amended Special Assessment Roll and Waiver of Notice received from the sole property owner; the sole property owner desires to proceed with the Improvements even though the cost is higher than originally estimated; and

**WHEREAS**, the Township also desires to proceed with the Improvements and amend the Special Assessment Roll to reflect the higher costs;

**NOW THEREFORE IT IS HEREBY RESOLVED AS FOLLOWS:**

1. That the Special Assessment Roll previously approved by the Township Board is amended to reflect the revised cost of \$396,000.00 which is hereby assessed against the sole property comprising the Special Assessment District. A copy of the Amended Assessment Roll is attached hereto as Exhibit B.
2. The Township Clerk shall deliver the Amended Special Assessment Roll to the Township Treasurer together with a revised Warrant. The form of said Warrant is attached hereto as Exhibit C.
3. That the Township Clerk shall endorse on the Amended Special Assessment Roll the date of the meeting as the date of confirmation of the Special Assessment Roll.
4. In all other respects not inconsistent with this Resolution No. 5, the Special Assessment Roll and all prior Resolutions regarding the WEST MICHIGAN BASEBALL WATER EXTENSION SPECIAL ASSESSMENT DISTRICT are affirmed.

YEAS:       Members: \_\_\_\_\_  
NAYS:       Members: \_\_\_\_\_  
ABSENT:     Members: \_\_\_\_\_

RESOLUTION DECLARED ADOPTED.

\_\_\_\_\_  
Ruth Ann Karnes  
Plainfield Charter Township Clerk

STATE OF MICHIGAN }  
                          }  
COUNTY OF KENT    }

I, as the duly qualified and acting Clerk of the Plainfield Charter Township, Kent County, Michigan (the "Township") do hereby certify that the foregoing is a true and complete copy of the resolution adopted by the Township Board of the Township, at a regular meeting held on October 20, 2014, the original of which is on file in my office.

Public notice of said meeting was given pursuant to and in compliance with Act No. 267, Public Acts of Michigan, 1976, as amended, including in the case of a special or rescheduled meeting, notice by publication or posting at least eighteen (18) hours prior to the time set for the meeting.

IN WITNESS WHEREOF, I have affixed my official signature the 20<sup>th</sup> day of October, 2014.

\_\_\_\_\_  
Ruth Ann Karnes  
Plainfield Charter Township Clerk

**WEST MICHIGAN BASEBALL WATER SYSTEM IMPROVEMENTS 2014**

*The water main at the 5/3 Ball Park is necessary to complete a loop around the facility for the purpose of serving all the buildings with public water service as well as improving the available fire flow. The water main will be installed in a public easement and will be a public water main when completed.*

**AMENDED SPECIAL ASSESSMENT DISTRICT ROLL**

Said Public Improvements shall be located in the Township, as follows:

The special assessment district shall consist of the following parcel(s) which are hereby assessed as follows:

<u>OWNER</u>	<u>PARCEL</u>	<u>ASSESSMENT</u>
West Michigan Baseball, 4500 West River Dr. NE	41-10-31-180-006	\$ 396,000.00

**WARRANT OF TOWNSHIP CLERK**

I, Ruth Ann Karnes, the Township Clerk to Plainfield Charter Township, Kent County, Michigan, hereby direct and command the Township Treasurer, to collect the assessments set forth in the attached WEST MICHIGAN BASEBALL WATER EXTENSION AMENDED SPECIAL ASSESSMENT DISTRICT ROLL in accordance with the directions of the Township Board in respect thereto set forth in a Resolution adopted by the Township Board on October 20, 2014, confirming such special assessment roll of the township. In addition, on September 1 of each year, commencing on September 1, 2015, you shall submit to the Township Board a sworn statement setting forth the names of the persons delinquent, if known, a description of the parcels of land upon which there are delinquent assessments and the amount of such delinquency, including accrued interest and penalties computed to September 1 of such year.

Dated: \_\_\_\_\_

\_\_\_\_\_  
Ruth Ann Karnes  
Township Clerk



# Monthly Report

## September 2014

### TRAINING ACTIVITY

- Dept Training: Drivers Education Classroom and Range (37 People/ 92.5 Hours)
- Medical Training: Trauma Patient Assessment (8 People/ 16 Hours)
- Ethanol Gas Safety (1 Person/ 5 Hours)
- Adv. Auto Extrication (1 Person/8 Hours)
- Shift Training: Pump Ops (2 People/1 Hour)

### FIREFIGHTER ACTIVITY

- Covered shifts as Acting Lieutenant (2)
- Performed (1) residential fire investigation in Cannon Township; the cause of the fire is under investigation
- Taught department medical training
- Performed inspections
- Worked with St. Mary's Hospital to update the accident demonstrations and incorporate more agencies into the program.
- Met with Northview High School representative to review Tornado Drill Procedures
- Developed maps for Northview High School for Tornado Drill procedures
- Completed necessary repairs to alarm system at Comstock Park Library
- Attended National Fire Academy Cultural Competence in Risk Reduction
- Cleaned a donated dry valve to be used in department trainings and the Fire Academy
- Installed replacement computer system at Station #1 EO Desk
- Successfully restored and re-installed E3 laptop after HD failed
- Worked on Smoke Alarm Grant Program
- Completed Pre-Plan updates
  - 4180 Plainfield Avenue (Planet Fitness)



### Repairs

- BU-3
  - Replaced wheel studs (PFD)
  - Replaced brake rotors and pads (PFD)
- Car-1
  - Installed air filter (PFD)
- Car-2
  - Replaced alternator (PFD)

- E-3
  - Replaced (4) drive tires (Vendor)
- E-6
  - Repaired door ajar switch (PFD)
  - Added DOT striping to sides (PFD)
- P-3
  - Replaced ladder slides (Vendor)
  - Repaired oil leak (Vendor)
- R-1
  - Repaired fuel tank strap (PFD)
  - Repaired underbelly compartment (Vendor)
  - Repaired driver's door step (PFD)
  - Added DOT striping to sides (PFD)
- Station #1
  - Replaced kitchen counter top (Vendor)
  - Replaced kitchen sink (Vendor)
  - Performed preventative maintenance on roof (Vendor)
  - Repaired roof (Warranty) (Vendor)
  - Replaced (2) outdoor wall pak lights (PFD)
- Training Center
  - Repaired AC outlets in closet (Vendor)

**Savings Gained through the Permanent Addition of SAFER funded Personnel**  
 During the month of September, these two Equipment Operators covered vacation and personal time for 68.25 hours, totaling \$851.08 of overtime savings.

**Public Education/Fire Prevention**

- Station Tours (5)
- Attended Fire, Tornado, or Lock Down Drill (# of Visits)
  - Mill Creek Middle School (3)
  - Assumption School (2)
  - Chandler Woods (2)
  - East Oak Elementary (1)
  - Rogewood (1)
  - Northview High School (2)
  - Rockford High School (2)
  - Rockford Freshman Center (1)
  - Comstock Park High School (2)
  - Pine Island Elementary (1)
  - Crossroads Middle School (3)
  - Belmont (1)
- Fire Education presentation
  - Christ Our Savior Lutheran Pre-School (2)
  - Milestones Daycare (4)
  - Assumption School (1)
- Attended Touch A Truck Event at West Oakview Elementary
- Hosted The Firefighter Combat Challenge Event at Training Center. This was a competition between Snap Fitness and Anytime Fitness. 44 civilian participants took the PFD physical ability test. Snap Fitness won the challenge with the lowest average time.



### Significant Events

- Engine 1 was involved in a moderate impact crash involving two other vehicles on the Jupiter Bridge. All parties involved refused treatment. Engine 1 is still in service and estimates for repair are being gathered.
- Repaired Siren site #6 (Vendor)
- Registered POC FFs Felix, VanDyken, Hoppe and Horter in Basic EMT class being held at Cannon Fire Department

## **FIRE SAFETY BUREAU ACTIVITY:**

### Assistant Chief Activities

- Performed Duty Officer Coverage – 16 Days
- Attended
  - Meetings
    - KCEMS Governing Board
    - Emergency Medical Service Coordination Committee
    - West Michigan Fire Chiefs Executive Board
    - Kent County Fire Chiefs
    - MABAS
    - Township Board
    - Department Head
    - Well-head Committee
    - Smoke Alarm Grant Program
    - LPGA group
  - Michigan Fire Inspector Conference
- Met with Union's Executive Board
- Interviewed a juvenile fire setter
- Updated the MobileEyes™ Responder program on the laptops on the fire apparatus

### Inspection Volume and Issues

- Completed 51 Fire and Safety Inspections of commercial properties
- Completed 122 Fire and Safety Re-inspections of commercial properties
- Completed 1 Final Occupancy Inspection
- 1 Holiday
- 2 Vacation Days
- Secured a second donation of a dry sprinkler system for use in the fire academy and department trainings
- Continued marking of roof, attic, safe building placards and FF Right to Know
- Met with owners of a business regarding building permits for their remodel
- Attended Fire Inspectors Fall Conference
- Supervised the fire protection controls at a business being relocated from an underground pit to the building
- Performed a walk through at Northview High School
- Contacted representatives of the mobile home parks regarding the fire prevention grant program
- While inspecting a building built in 1927, it was discovered that the brick front wall had separated from the side walls and could collapse at any time. The Building Inspector was contacted and precautions have been taken to mitigate this hazard.
- The fire suppression system for the former North Kent Mall is now completely operational.

### **Savings Gained through the Acting Lieutenant Position**

The Acting Lieutenants covered 36 hours of personal and vacation time in September. They were paid the Lieutenant's rate of pay rather than the OT rate we would have been required to pay another full time Lieutenant to cover these days. This provided a savings of \$393.12.

**ADMINISTRATION ACTIVITY:**

**Chief's Activities**

- Performed Duty Officer Coverage – 14 Days
- **Attended**
  - **Meetings**
    - West Michigan Fire Chiefs Executive Board
    - Department Head
    - Department Staff
    - Michigan Association of Fire Chiefs
    - Michigan Fire Fighter Training Council Curriculum Development Committee
    - Public Safety Advisory Committee
    - Kent County Fire Chiefs
    - Mutual Aid exercise in Spring Lake on Saturday the 13<sup>th</sup>
- **Met with**
  - Ottawa County Chiefs to discuss Mutual Aid exercise
  - Walker Fire Chief to discuss mutual aid plan
  - PFD Union to discuss response & schedule changes
  - MFFTC Regional Supervisor regarding training fund disbursements in Kent County
- Chaired MABAS Division 3603 meeting
- Chaired KCFC Training Committee meeting
- Taught ICS 3 nights at the Fire Academy

<b>September</b>			<b>Concurrent</b>			<b>YTD</b>		
<b>26</b>			<b>Calls</b>			<b>272</b>		
<b>Station #1</b>	<b>2014</b>	<b>2013</b>	<b>Station #3</b>	<b>2014</b>	<b>2013</b>			
January	17	14	January	22	16			
February	22	6	February	19	8			
March	9	4	March	9	6			
April	20	16	April	22	20			
May	6	8	May	9	8			
June	11	8	June	11	6			
July	8	4	July	9	8			
August	6	12	August	6	14			
September	7	9	September	13	7			

NOTE: You will not be able to add the Station #1 and Station #3 numbers together and get the number of concurrent calls for the department because department concurrent calls count the number of times a second, third, etc. call comes in while *either* station is on another call. Station concurrent calls address the number of times an *individual station* is on a call and another call is toned for that station.

# AVERAGE RESPONSE TIME

Station #1	MINUTES									
Belmont	< 1	1	2	3	4	5	6	7	8	>8
September	3.7%	0.0%	11.1%	0.0%	3.7%	12.9%	12.9%	20.3%	7.4%	28.0%
August	1.3%	4.0%	2.6%	9.3%	8.0%	18.6%	9.3%	14.6%	9.3%	23.0%
July	0.0%	1.3%	2.7%	12.1%	6.7%	14.8%	14.8%	13.5%	17.5%	16.6%
June	1.4%	2.8%	5.7%	4.3%	11.5%	17.3%	15.9%	11.5%	15.9%	13.7%
May	1.4%	1.4%	0.0%	2.9%	5.8%	16.1%	7.3%	20.5%	13.2%	31.4%
April	1.2%	1.2%	1.2%	2.5%	12.8%	15.3%	15.3%	15.3%	14.1%	21.1%
March	3.0%	0.0%	1.5%	6.0%	10.6%	7.5%	6.0%	19.6%	7.5%	38.3%
February	3.8%	1.2%	1.2%	5.1%	3.8%	10.3%	6.4%	3.8%	18.1%	46.3%
January	2.1%	2.1%	1.0%	6.5%	3.2%	7.6%	13.0%	9.7%	17.3%	37.5%
YTD	1.9%	1.6%	2.7%	5.6%	7.3%	13.3%	11.3%	13.9%	13.7%	28.7%


Station #3	MINUTES									
Five Mile	< 1	1	2	3	4	5	6	7	8	>8
September	5.1%	0.0%	8.9%	16.6%	16.6%	23.0%	8.9%	3.8%	5.1%	12.0%
August	2.9%	4.4%	8.8%	16.1%	22.0%	22.0%	8.8%	11.7%	0.0%	3.3%
July	2.8%	4.2%	12.8%	17.1%	20.0%	21.4%	8.5%	4.2%	2.8%	6.2%
June	3.8%	1.2%	6.4%	22.0%	28.5%	12.9%	11.6%	2.5%	3.8%	7.3%
May	2.1%	6.5%	7.6%	15.2%	15.2%	25.0%	6.5%	8.6%	2.1%	11.2%
April	1.3%	1.3%	10.8%	10.8%	25.6%	25.6%	6.7%	6.7%	4.0%	7.2%
March	2.3%	2.3%	10.4%	22.0%	20.9%	15.1%	10.4%	6.9%	1.1%	8.6%
February	6.0%	2.4%	6.0%	6.0%	21.9%	23.1%	13.4%	3.6%	2.4%	15.2%
January	2.0%	0.0%	10.2%	15.3%	21.4%	16.3%	14.2%	8.1%	6.1%	6.4%
YTD	3.1%	2.4%	9.0%	15.6%	21.1%	20.3%	10.3%	6.3%	3.1%	8.8%

The response time reports are for the primary unit responding only. The difference in response times between the two stations is primarily due to travel distance. As was identified in the Master Plan, Station #1 has a much larger response area than Station #3 and the area is fractionalized by the interstate and Rogue River. Station #1 covers roughly 25 sq. mi. as compared to 11 sq. mi. covered by Station #3. Also, Station #3 is located in the center of the district when identified by call volume. Conversely, Station #1 is located at the center of the Township and not the center of the district. The answer to solving this problem is to make smaller districts north of the river.

**September Average Response Time of First Arriving Unit (minutes:seconds) 6:24**




**Plainfield Fire Department  
Average Emergency Response Time  
(number of emergency calls)**

**Sept 2014  
06:09  
(164)**



## Firefighter Safety

The Fire Safety Bureau evaluates vacant buildings throughout the township. The primary purpose of these inspections is firefighter safety. The International Fire Code provides for placarding vacant buildings with three different types of placards. The placard with a white square on a red background means that the building is structurally sound and an interior fire attack can be performed. The placard with a white square and a diagonal slash on a red background means the building is questionable for an interior attack and should only be entered if there is a possible rescue of a person inside the structure. The placard with a white square and a white "X" on a red background means the building is unstable and no entry of the building is allowed for any reason. There are currently 23 buildings throughout the township where the Fire Safety Bureau has utilized this placard system. These placards typically are used in commercial buildings. The potential of marking condemned homes is being discussed with Community Development.



You may have noticed a new label/sticker applied to township buildings. This past year PFD has implemented a new marking system for commercial buildings. These labels are designed for firefighter safety and to provide basic information about the building and its contents. This label is taken from NFPA 1 and will be installed on all township buildings which store chemicals. Our Fire Safety Specialist is starting with the high hazard buildings within the township.

The letters on the top of the Maltese cross represents the construction type of the structure and are as follows;

- \* FR = Fire-resistive construction
- \* NC = Noncombustible construction
- \* ORD = Ordinary construction
- \* HT = Heavy timber construction

The letter on the left of the Maltese cross represents the hazards of content and are as follows;

- \* L = Low hazard. Low hazard contents are those classified as low combustibility that no self-propagating fire can occur
- \* M = Moderate hazard. Moderate hazard contents are



those classified as likely to burn with moderate rapidity or to give off a considerable volume of smoke

- \* H = High hazard. High hazard contents are those classified as likely to burn with extreme rapidity or from which explosions are likely

The letter on the right of the Maltese cross represents the presence of an automatic fire sprinkler and/or standpipe system. If multiple systems are provided, all systems shall be indicated and are as follows;

- \* A = Automatic fire sprinkler system installed throughout the structure
- \* P = Partial automatic fire sprinkler or other suppression system installed
- \* S = Standpipe system installed
- \* N = None

The letter on the bottom of the Maltese cross represents the occupancy/life safety type shall be rated by determining the level of difficulty in evacuating occupants from the building and are as follows;

- \* L = Business, industrial, mercantile, residential, and storage occupancies
- \* M = Ambulatory health care, assembly, educational, and day care occupancies
- \* H = Detention and correction facilities, health care, and board and care occupancies

The center of the Maltese cross will have the NFPA 704 diamond marking (information regarding flammability, health hazards, reactions with water, and special considerations) for the highest severity content stored within the building.

**Plainfield Fire Department**  
Alarm Report

**September 2014**

Type	Stat. 1	Stat. 3	Totals
Medicals	49	64	113
Rescues	4	13	17
Good Intent <sub>1</sub>	13	14	27
Public Service <sub>2</sub>	6	8	14
CO Alarms	1	2	3
Unauthorized Burns <sub>3</sub>	0	1	1
Structure Fires	0	3	3
Vehicle Fires	0	1	1
Grass/Brush Fires	0	0	0
Outside of Structure Fires <sub>4</sub>	0	0	0
Mutual Aid Given	1	1	2
<b>Totals</b>	<b>74</b>	<b>107</b>	<b>181</b>

**Alarms 2013  
September  
202**

**Alarms 2013  
Y-T-D  
1786**

**Alarms 2014  
Y-T-D  
1930**

**2013 Dept.  
Concurrent  
Calls Y-T-D  
222**

**2014 Dept.  
Concurrent  
Calls Y-T-D  
273**

<sub>1</sub>Includes Smoke Scares, and False Alarms

<sub>2</sub>Includes Hazardous Condition, Assists to Citizens, Police, & Ambulances

<sub>3</sub>Includes Controlled Burns

<sub>4</sub>Includes Refuse/Dumpster Fires



PLAINFIELD CHARTER TOWNSHIP  
PASSPORT REPORT

SEPTEMBER 2014

<u>REVENUE</u>	# Issued	Revenue	Year-to-date # Issued	Year-to-date Gross Revenue
Passport Books/Cards	46	\$1,150.00	488	\$12,210.00
Photographs	44	<u>\$440.00</u>	467	<u>\$4,675.00</u>
<b>Total:</b>		<b>\$1,590.00</b>		<b>\$16,885.00</b>

EXPENDITURES

Total cost of postage	\$85.85	Postage Y.T.D	\$898.90
Total cost of photo materials	<u>\$0.00</u>	Photo's Y.T.D.	<u>\$410.00</u>
<b>Total:</b>	<b>\$85.85</b>		<b>\$1,308.90</b>

**2014 BUDGETTED REVENUE:**

Passport Books/Cards	\$18,000.00	<b>Actual:</b>	67.83%
Photographs	\$6,000.00		77.92%

# Plainfield Charter Township Building Permits Monthly Report -- Category Totals September 2014

	Const. Value	Permit Fee	# of Permits
Accessory Building	\$28,250	\$214.00	1
<b>BILLBOARDS</b>	<b>\$250,000</b>	<b>\$1,550.00</b>	<b>1</b>
Commercial Addition	\$165,000	\$1,144.00	1
Commercial Remodel	\$149,000	\$1,162.00	6
<b>CONDOMINIUMS</b>	<b>\$510,000</b>	<b>\$3,180.00</b>	<b>3</b>
Decks	\$29,000	\$282.00	2
Residential Accessory Building	\$71,000	\$586.00	4
Residential Remodel	\$158,500	\$1,154.00	5
<b>SIGNS</b>	<b>\$39,205</b>	<b>\$542.00</b>	<b>6</b>
<b>SINGLE FAM. HOMES WITH GARAGES</b>	<b>\$2,162,200</b>	<b>\$13,298.00</b>	<b>8</b>
SWIMMING POOLS	\$50,000	\$340.00	1
TEMPORARY SIGNS	\$0	\$85.00	1
TWO UNIT CONDOMINIUMS	\$330,000	\$2,060.00	2
<b>Grand Totals</b>	<b>\$3,942,155</b>	<b>\$25,597.00</b>	<b>41</b>

10/06/14

# PLAINFIELD CHARTER TOWNSHIP

6161 BELMONT AVE NE

BELMONT MI 49306

## BUILDING PERMITS ISSUED IN SEPTEMBER 2014

### Permit List

10/06/2014

Permit	Issued	Applicant	Address	Category	Const. Value	Permit Fees
PB14-0246	09/24/2014	BABSON BILLY J	5865 WEST RIVER DR N	SINGLE FAM. HOMES WITH G	\$190,000	\$1,180.00
PB14-0265	09/08/2014	T4 Group, LLC	3868 WEST RIVER DR N	Commercial Addition	\$165,000	\$1,144.00
PB14-0274	09/11/2014	ALCAM SIGNS & LIGH	5155 NORTHLAND DR	SIGNS	\$4,500	\$70.00
PB14-0294	09/12/2014	GRIMES CHRISTINA L	3733 WEBBER PINES D	Residential Accessory Building	\$25,000	\$190.00
PB14-0298	09/05/2014	TUCK-TENHAVE ANN	1820 10 MILE NE RD	SINGLE FAM. HOMES WITH G	\$264,000	\$1,624.00
PB14-0299	09/17/2014	Precise Home Improvemen	5565 CHAUNCEY DR N	Residential Accessory Building	\$27,000	\$202.00
PB14-0300	09/03/2014	REDSTONE HOMES	3832 PRESERVE DR	CONDOMINIUMS	\$175,000	\$1,090.00
PB14-0306	09/11/2014	REDSTONE HOMES	3848 PRESERVE DR	CONDOMINIUMS	\$160,000	\$1,000.00
PB14-0312	09/08/2014	VALLEY CITY SIGN CO.	2727 5 MILE RD NE	SIGNS	\$1,510	\$62.00
PB14-0313	09/17/2014	SOLOMON BUILDING	7966 ELLA TERRACE D	SINGLE FAM. HOMES WITH G	\$482,500	\$2,938.00
PB14-0316	09/05/2014	FRONT PORCH GROUP	3726 COIT AVE NE	Residential Remodel	\$90,000	\$580.00
PB14-0319	09/05/2014	FAST SIGNS	5429 NORTHLAND DR	SIGNS	\$4,140	\$80.00
PB14-0320	09/08/2014	TEAM RESTORATION I	5621 PINE ISLAND DR	Residential Remodel	\$20,000	\$160.00
PB14-0321	09/11/2014	ADVANCED SIGNS	6050 NORTHLAND DR	SIGNS	\$25,000	\$200.00

# Permit List

## BUILDING PERMITS ISSUED IN SEPTEMBER 2014

10/06/2014

Permit	Issued	Applicant	Address	Category	Const. Value	Permit Fees
PB14-0322	09/15/2014	WAYPOINT CONSTRU	5684 SKYWAY DR NE	SINGLE FAM. HOMES WITH G	\$207,000	\$1,282.00
PB14-0323	09/08/2014	SMITH MARIE Y	3773 TYLER CT NE	Residential Accessory Building	\$10,000	\$100.00
PB14-0324	09/08/2014	Rachel Posthumus	3637 SUMMIT VIEW DR	Decks	\$7,000	\$82.00
PB14-0325	09/08/2014	BOVERHOF BUILDERS	4812 ROAMING DR	SINGLE FAM. HOMES WITH G	\$228,700	\$1,414.00
PB14-0326	09/08/2014	LEDGER BUILDERS	4198 MAYBECK DR NE	SINGLE FAM. HOMES WITH G	\$315,000	\$1,930.00
PB14-0327	09/05/2014	MEYERS DUSTIN	4335 ABRIGADOR TRL	Commercial Remodel	\$9,000	\$104.00
PB14-0328	09/11/2014	NUGENT BUILDERS IN	6928 BLYTHEFIELD AV	Residential Remodel	\$25,000	\$190.00
PB14-0329	09/11/2014	Marsman Construction Co.	5801 SAFETY DR NE	Commercial Remodel	\$105,000	\$748.00
PB14-0332	09/17/2014	PROGRESSIVE AEP LT	1811 4 MILE RD NE	Decks	\$22,000	\$200.00
PB14-0333	09/18/2014	JEREMY AUSTIN	1447 HOUSE ST NE	Accessory Building	\$28,250	\$214.00
PB14-0334	09/18/2014	VANRHEE JEFFREY S	6835 BLUE RIDGE DR N	SINGLE FAM. HOMES WITH G	\$275,000	\$1,690.00
PB14-0335	09/17/2014	REDSTONE HOMES	5596 BOULDER PINE C	CONDOMINIUMS	\$175,000	\$1,090.00
PB14-0336	09/17/2014	VALLEY CITY SIGN CO	5278 PLAINFIELD AVE	SIGNS	\$1,555	\$62.00
PB14-0337	09/11/2014	DECANTER STEVEN	4782 ABRIGADOR TRL	Residential Remodel	\$1,000	\$46.00
PB14-0338	09/29/2014	ALCAM SIGNS & LIGH	5760 WEST RIVER DR N	SIGNS	\$2,500	\$68.00
PB14-0339	09/23/2014	VANDERKOOY LAND	5429 NORTHLAND DR	Commercial Remodel	\$30,000	\$230.00

# Permit List

## BUILDING PERMITS ISSUED IN SEPTEMBER 2014

10/06/2014

Permit	Issued	Applicant	Address	Category	Const. Value	Permit Fees
PB14-0341	09/23/2014	REDSTONE HOMES	4454 SUN DROP DR NE	TWO UNIT CONDOMINIUMS	\$165,000	\$1,030.00
PB14-0342	09/23/2014	REDSTONE HOMES	4456 SUN DROP DR NE	TWO UNIT CONDOMINIUMS	\$165,000	\$1,030.00
PB14-0343	09/22/2014	RAINBOW INTERNATI	4973 CEDAR RIDGE DR	Residential Remodel	\$22,500	\$178.00
PB14-0347	09/24/2014	SPOELSTRA POOL & P	4848 TIMBERVIEW CT	SWIMMING POOLS	\$50,000	\$340.00
PB14-0348	09/19/2014	CURTIS OUTDOOR	320 DODGE ST NE	BILLBOARDS	\$250,000	\$1,550.00
PB14-0350	09/29/2014	BRUYN HOMES INC	6372 WEST CANTERBU	SINGLE FAM. HOMES WITH G	\$200,000	\$1,240.00
PB14-0351	09/24/2014	ZASKOWSKI BUILDER	1750 RAHN DR NE	Residential Accessory Building	\$9,000	\$94.00
PB14-0352	09/22/2014	ROCKFORD CONSTRU	6050 NORTHLAND DR	Commercial Remodel		\$0.00
PB14-0353	09/22/2014	ROCKFORD CONSTRU	6050 NORTHLAND DR	Commercial Remodel		\$0.00
PB14-0357	09/29/2014	Sandalwood Homes LLC	3800 WEST RIVER DR N	Commercial Remodel	\$5,000	\$80.00
PB14-0368	09/29/2014	GOBER CHARLES JR	3917 LELAND AVE NE	TEMPORARY SIGNS		\$85.00

**Total Permits: 41**  
**Total Value: \$3,942,155**  
**Total Fees: \$25,597.00**

**Permit Category Totals Year To Date  
Through September 30, 2014**

10/06/2014

<u>Permit Category</u>	<u>Const. Value</u>	<u>Fees Paid</u>	<u>Number of Permit</u>
Accessory Building	\$106,850	\$928.00	7
BILLBOARDS	\$250,000	\$1,550.00	1
CARPORTS	\$18,825	\$200.00	2
CELL TOWER CONSTRUCTION	\$20,000	\$170.00	1
CELL TOWER MODIFICATION	\$135,000	\$1,160.00	7
Commercial Accessory Building	\$39,049	\$394.00	3
COMMERCIAL ADD. & REMODELING	\$1,726,000	\$11,441.60	1
Commercial Addition	\$310,000	\$2,211.00	3
Commercial Decks	\$15,806	\$161.00	1
Commercial Remodel	\$1,483,069	\$13,681.00	24
CONDOMINIUMS	\$2,307,000	\$14,322.00	12
Decks	\$149,521	\$2,627.00	29
DEMOLITION	\$51,170	\$3,400.00	12
EGRESS WINDOW	\$8,589	\$134.00	2
FIRE DAMAGE REPAIR - COMMER	\$3,865,000	\$25,480.00	2
FIRE DAMAGE REPAIR - RES	\$3,100	\$64.00	1
Home Elevation	\$32,503	\$458.00	2
MISCELLANEOUS	\$5,000	\$110.00	2
MOBILE HOMES	\$15,000	\$625.00	5
NEW COMMERCIAL	\$957,000	\$6,430.00	2
RE-ROOF	\$15,000	\$140.00	1
Residential Accessory Building	\$278,000	\$2,434.00	19
RESIDENTIAL ADD. & REMODELING	\$5,500	\$116.00	1
Residential Addition	\$661,313	\$4,704.00	18
Residential Remodel	\$788,674	\$6,324.00	39
SIGNS	\$187,382	\$2,568.00	29
SINGLE FAM. HOMES WITH GARAGES	\$20,134,417	\$124,000.60	79
SWIMMING POOLS	\$172,226	\$1,403.00	9

<b>TEMPORARY SIGNS</b>	\$1,000	\$425.00	5
<b>Three Season Porch</b>	\$88,729	\$740.00	5
<b>Tree Damage Repair - Res</b>	\$92,504	\$644.00	2
<b>TWO UNIT CONDOMINIUMS</b>	\$1,400,000	\$8,800.00	10
<b>WHEELCHAIR RAMP</b>	\$9,296	\$100.00	1
<b>Grand Totals</b>	<b>\$35,332,523</b>	<b>\$237,945.20</b>	<b>337</b>

## SUMMARY

From January 1, 2014 to September 30, 2014 there was of 337 building permits issued with a val \$35,332,523

91 of these permits were for new single family homes (including condominiums) with a value of \$22,441,417

Through the same month in 2013, 277 building permits were issued with a total value of \$30,389,578

74 of these permits were for new single family homes (including condominiums) with a value of \$16,834,350

Enforcement.DateClosed in <Previous month> [09/01/14 - 09/30/14] OR Enforcement.DateFiled in <Previous month> [09/01/14 - 09/30/14]

## ORDINANCE ENFORCEMENT MONTHLY REPORT

DATE REC'D	ADDRESS	OWNER NAME	CATEGORY	DESCRIPTION	STATUS	DATE CLOSED
07/02/14	605 SCOTT VIEW COURT N	SANBORN CELINE T	Tall Grass & Weeds	Tall weeds	COMPLIANCE	09/19/14
07/14/14	727 PENDLETON DR NE	KRAUSE RONALD E	Fence	Fence in disrepair	COMPLIANCE	09/10/14
07/14/14	3903 WILLOW DR NE	DAVIS ALFRED C IV	Tall Grass & Weeds	Tall grass and inoperable vehicle	COMPLIANCE	09/16/14
07/21/14	2550 AUDOBON CT NE	DYKEMA JEFFREY A	Rec Vehicle/Trailer	Boat, trailer with personal watercraft and a fire truck in front.	COMPLIANCE	09/02/14
08/01/14	3903 WILLOW DR NE	DAVIS ALFRED C IV	Inops & Junk/Trash	Inoperable vehicle and trash	COMPLIANCE	09/16/14
08/04/14	5578 COLUMBINE AVE NE	LYON LA WRENCE S	Junk & trash	Used household items around garage	COMPLIANCE	09/19/14
08/05/14	2550 AUDOBON CT NE	DYKEMA JEFFREY A	Rec Vehicle/Trailer	RV's and commercial vehicle in front.	COMPLIANCE	09/02/14

Enforcement.DateClosed in <Previous month> [09/01/14 - 09/30/14] OR Enforcement.DateFiled in <Previous month> [09/01/14 - 09/30/14]

## ORDINANCE ENFORCEMENT MONTHLY REPORT

DATE REC'D	ADDRESS	OWNER NAME	CATEGORY	DESCRIPTION	STATUS	DATE CLOSED
08/08/14	5526 COLUMBINE AVE NE	EGNER KENNETH T	Operating Business	Operating a vehicle repair business from home	COMPLIANCE	09/08/14
08/08/14	5578 COLUMBINE AVE NE	LYON LA WRENCE S	Junk & trash	Trash	COMPLIANCE	09/19/14
08/05/14	1927 WESTWOOD DR NE	PETERS TERRY W	Inops & Junk/Trash	Inoperable vehicle, tall grass, trash	COMPLIANCE	09/04/14
08/11/14	2509 HOLTMAN DR NE	STARK PAULA L	Tall Grass & Weeds	Tall weeds in what was a landscaped area	COMPLIANCE	09/02/14
09/02/14	4551 SARAFIELD AVE NE	SPINNEY MELODY	Chickens/Farm Animal	Chickens	VIOLATION	
09/03/14	1811 4 MILE RD NE	PROGRESSIVE AEP L	Building Code	QUESTIONS ON DECK MAINTENANCE	NO VIOLATION-CLOS	09/05/14
09/03/14	3648 SUMMIT VIEW DR NE	VIILO KEVIN L	Inops & Junk/Trash	Tall grass, inoperable vehicle, trash, trailer in front.	VIOLATION	

Enforcement.DateClosed in <Previous month> [09/01/14 - 09/30/14] OR Enforcement.DateFiled in <Previous month> [09/01/14 - 09/30/14]

## ORDINANCE ENFORCEMENT MONTHLY REPORT

DATE REC'D	ADDRESS	OWNER NAME	CATEGORY	DESCRIPTION	STATUS	DATE CLOSED
09/03/14	3708 MIRAMAR AVE NE	ANDRUSZKIEWICZ A	Zoning Violation	Running a yard sale for 6 days, multiple time a year. Dumpster and trailer in front yard	COMPLIANCE	09/08/14
09/03/14	3658 MIRAMAR AVE NE	B&R REAL ESTATE,	Zoning Violation	Continual yard sales, inoperable vehicle	COMPLIANCE	09/08/14
09/03/14	3940 GRAPE AVE NE	TARBELL RONALD	Tall Grass & Weeds	Tall grass	COMPLIANCE	09/15/14
09/05/14	2663 WABASH DR NE	BRADLEY MARILYN	Tall Grass & Weeds	Tall grass	COMPLIANCE	09/23/14
08/27/14	5890 BELMONT AVE NE	VANMALDEGEN RY	Sidewalk Obstruc.	Bushes overgrowing sidewalk	COMPLIANCE	09/19/14
09/09/14	3756 KROES ST NE	PETERSON AMIEL W	Inops & Junk/Trash	Inops, trash, trailer		
09/09/14	4082 MIRAMAR AVE NE	RAZMUS SARA	Operating Business	Business materials in front and on side of garage and inoperable vehicle	COMPLIANCE	09/23/14

Enforcement.DateClosed in <Previous month> [09/01/14 - 09/30/14] OR Enforcement.DateFiled in <Previous month> [09/01/14 - 09/30/14]

## ORDINANCE ENFORCEMENT MONTHLY REPORT

DATE REC'D	ADDRESS	OWNER NAME	CATEGORY	DESCRIPTION	STATUS	DATE CLOSED
09/10/14	4879 GRAND RIVER DR NE	BURNS JAMES	Tall Grass & Weeds	Tall weeds on vacant lot	VIOLATION	
09/10/14	5578 COLUMBINE AVE NE	LYON LA WRENCE S	Junk & trash	Used items next to garage	COMPLIANCE	09/19/14
09/10/14	3708 MIRAMAR AVE NE	ANDRUSZKIEWICZ A	Junk & trash	Trash and tires in front yard	COMPLIANCE	09/12/14
09/12/14	5538 ROCKBLUFF DR NE	COOK PAUL D	Rec Vehicle/Trailer	Camper in front	COMPLIANCE	09/19/14
09/12/14	7362 PINE BAY DR NE	EDSENGA MIKE	Inoperable Vehicle	Inoperable vehicles and running a business	COMPLIANCE	09/24/14
09/15/14	3639 JASMINE AVE NE	SVITKOVICH LOUIS	Inoperable Vehicle	Inoperable vehicle and camper in front of the residence	VIOLATION	
09/15/14	3808 BENJAMIN AVE NE	TROYER JOSEPH E (	Chickens/Farm Animal	Chickens that roam neighborhood		

Enforcement.DateClosed in <Previous month> [09/01/14 - 09/30/14] OR Enforcement.DateFiled in <Previous month> [09/01/14 - 09/30/14]

## ORDINANCE ENFORCEMENT MONTHLY REPORT

DATE REC'D	ADDRESS	OWNER NAME	CATEGORY	DESCRIPTION	STATUS	DATE CLOSED
09/17/14	4860 PINEDELL AVE NE	RURAL DEVELOPME	Dangerous Buildings	ABANDONED HOUSE- NO ONE LIVING IN IT AND IS IN NEED TO REPAIR-	VIOLATION	
09/19/14	3864 BENJAMIN AVE NE	RECONCILIATION M	Other	MEET BETTY MARTIN AT CHURCH TO SEE IF STAIRS ARE OK FOR A CHAIL LIFT	COMPLIANCE	09/22/14
09/19/14	3690 KEEWEENAW DR NE	WIGENT BARRY A	Junk & trash	Mattresses out for over four months.	COMPLIANCE	09/26/14
09/19/14	3690 KEEWEENAW DR NE	WIGENT BARRY A	Animal control	Barking dog	VIOLATION	
09/23/14	2419 AIRWAY ST NE	SNOW CATHERINE	Chickens/Farm Animal	Keeping chickens and allowing them to roam on neighbors property.	VIOLATION	
09/23/14	5467 RIVERLOOK DR NE	SCHUITMAN CAROL	Animal control	Barking dog	VIOLATION	
09/24/14	2152 AIRWAY ST NE	HOFFMAN BENJAMI	Inoperable Vehicle	Van without a plate	NO VIOLATION-CLOS	09/26/14

Enforcement.DateClosed in <Previous month> [09/01/14 - 09/30/14] OR Enforcement.DateFiled in <Previous month> [09/01/14 - 09/30/14]

## ORDINANCE ENFORCEMENT MONTHLY REPORT

DATE REC'D	ADDRESS	OWNER NAME	CATEGORY	DESCRIPTION	STATUS	DATE CLOSED
09/24/14	3658 MIRAMAR AVE NE	B&R REAL ESTATE,	Rec Vehicle/Trailer	Enclosed trailer in front over two weeks	NO VIOLATION-CLOS	09/26/14
09/26/14	3642 MIRAMAR AVE NE	PRESSEY JACQUELY	Tall Grass & Weeds	Tall grass	VIOLATION	
09/26/14	3694 BALSAM AVE NE	CORPE BRITTANY E	Inops & Junk/Trash	Inoperable vehicle and trash	VIOLATION	
09/29/14	2131 AIRWAY ST NE	VANDERWERF DANI	Inoperable Vehicle	Inoperable vehicle	VIOLATION	
09/29/14	3700 MIRAMAR AVE NE	STEINER DENNIS G		Trailer in front and trash		
09/29/14	3639 JASMINE AVE NE	SVITKOVICH LOUIS	Inoperable Vehicle	Inoperable vehicle	VIOLATION 2ND NOT	
09/25/14	1743 WOODWORTH ST NE	HERRON JEFFREY D	Inops & Junk/Trash	Inoperable vehicles and trash	VIOLATION	