

ANNUAL
WATER
QUALITY
REPORT

Water testing performed in 2008



PWSID#: 5370

This report was prepared by:
Plainfield Township Water Department
5195 Plainfield Ave NE
Grand Rapids, MI 49525

Continuing Our Commitment

We are once again proud to present to you our annual water quality report. This edition covers all testing completed from January 1 through December 31, 2008. Over the years, we have dedicated ourselves to producing drinking water that meets all state and federal drinking water standards. We continually strive to adopt new and better methods for delivering the best quality drinking water to you. As new challenges to drinking water safety emerge, we remain vigilant in meeting the challenges of source water protection, water conservation and community education while continuing to serve the needs of all our water users.

Please share with us your thoughts about the information in this report. After all, well-informed customers are our best allies.



For more information about this report, or for any questions relating to your drinking water, please call Donald Petrovich, Water Plant Superintendent, at (616) 364-7174, or e-mail petrovichd@plainfieldchartertp.org

Where Does Plainfield water come from?

Plainfield Township Water Department gets its excellent quality raw water from sixteen wells located in three separate well fields. These wells vary in size, and can pump from 600 gallons of water per minute to 1450 gallons of water per minute for a total raw water supply capacity of approximately 24 million gallons a day. This raw water supply is pumped to and treated by our 16 million gallon per day capacity water plant to meet every federal and state requirement for safe drinking water. In 2008 we supplied over 1.5 billion gallons of safe, clean drinking water to our customers. Our minimum daily pumpage was 2.24 million gallons of water a day. Our maximum pumpage was 9.56 million gallons of water a day. Our average daily pumpage was 4.28 million gallons a day.

The water treatment plant is a full treatment, lime softening facility. In the water distribution system there are over 200 miles of water main, water meters in each customers home and facility, and over 2,000 valves and hydrants respectively. There are 13 water tanks ranging in capacity from 200,000 gallons to 4 million gallons of water. These tanks provide pressure and water for fire protection. Five pump stations move water to our tanks and four pressure districts. We provide water to Plainfield Township, Alpine Township, Grand Rapids Township, Algoma Township, and a small part of the City of Walker.

Substances That Could Be in Water

To ensure that tap water is safe to drink, U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it can acquire naturally occurring minerals, in some cases, radioactive material; and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include: Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife; Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming; Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses; Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and may also come from gas stations, urban storm water runoff, and septic systems; Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.



What's Your Water Footprint?

You may have some understanding about your carbon footprint, but how much do you know about your water footprint? The water footprint of an individual, community, or business is defined as the total volume of freshwater that is used to produce the goods and services that are consumed by the individual or community or produced by the business. For example, 11 gallons of water are needed to irrigate and wash the fruit in one half-gallon container of orange juice. Thirty-seven gallons of water are used to grow, produce, package, and ship the beans in that morning cup of coffee. Two hundred and sixty-four gallons of water are required to produce one quart of milk, and 4,200 gallons of water are required to produce two pounds of beef.

According to the U.S. EPA, the average American uses about 100 gallons of water daily. In fact, in the developed world, one flush of a toilet uses as much water as the average person in the developing world allocates for an entire day's cooking, washing, cleaning, and drinking. The annual American per capita water footprint is about 8,000 cubic feet; twice the global per capita average. With water use increasing six-fold in the past century, our demands for freshwater are rapidly outstripping what the planet can replenish.

To check out your own water footprint, go to www.h2oconserve.org or visit www.waterfootprint.org to see how the water footprints of other nations compare.

The Water Treatment Process

The water treatment process consists of a series of steps. First, raw water is drawn from an underground aquifer by wells and sent to the water treatment plant. The water then passes through a clarifier, where alum and lime is added. The addition of these substances cause small particles to adhere to one another (called "floc") making them heavy enough to settle. These small particles are made up of calcium and magnesium, which is commonly called hardness. The heavy hardness particles drop by gravity into a basin from which sediment is removed. Chlorine and fluoride are also added for disinfection and prevention of tooth decay. The clarified, softened water then falls by gravity to filters. At this point, the water is filtered through layers of fine coal, silicate sand, and a specially manufactured filter bottom. As smaller, suspended particles are removed, turbidity disappears and clear water emerges. All chemicals added are carefully monitored, adding the lowest quantity necessary to protect the safety of your water without compromising taste. Finally, a corrosion inhibitor in the form of phosphate (used to protect distribution system pipes) is added before the water is pumped to ground storage reservoirs, and elevated water tanks where gravity takes over to provide water under pressure to homes, schools, and businesses.

Source Water Assessment

A Source Water Assessment Plan (SWAP) is available at our office. The state of Michigan performed this assessment of our source water in 2003. This plan is an assessment of the delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area, and a determination of the water supply's susceptibility to contamination by the identified potential sources.

According to the Source Water Assessment Plan, our water system had a susceptibility rating of 'high', due to the geological characteristics of the soils around our wells. We have a state approved wellhead protection program, and are in the process of enacting an ordinance to help protect these wells. We have no contamination violations, our wells meet all standards for construction, and there are no contamination sources within our isolation areas. To learn more about protecting our water, you can get information on wellhead protection and water conservation from the Water Department. If you would like to review the Source Water Assessment Plan, please feel free to contact our office during regular office hours.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/CDC (Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791.

Lead and Drinking Water

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or at www.epa.gov/safewater/lead.

Information on the Internet

The U.S. EPA Office of Water (www.epa.gov/watrhome) and the Centers for Disease Control and Prevention (www.cdc.gov) Web sites provide a substantial amount of information on many issues relating to water resources, water conservation and public health.

Sampling Results

During the past year we have taken hundreds of water samples in order to determine the presence of any radioactive, biological, inorganic, volatile organic or synthetic organic contaminants. The table below shows only those contaminants that were detected in the water. The state allows us to monitor for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken. Although all of the substances listed here are under the Maximum Contaminant Level (MCL), we feel it is important that you know exactly what was detected and how much of the substance was present in the water

REGULATED SUBSTANCES							
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Alpha Emitters (pCi/L)	2002	15	0	1.3	1.3–1.3	No	Erosion of natural deposits
Chlorine (ppm)	2008	4	4	0.76	0.11–1.48	No	Water additive used to control microbes
Combined Radium (pCi/L)	2002	5	0	0.9	0.9–0.9	No	Erosion of natural deposits
Fluoride (ppm)	2008	4	4	1.2	0.8–1.2	No	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Haloacetic Acids [HAA] (ppb)	2008	60	NA	16.9	5.8–23.2	No	By-product of drinking water disinfection
Nitrate (ppm)	2008	10	10	1.19	1.19–1.19	No	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits
TTHMs [Total Trihalomethanes] (ppb)	2008	80	NA	57.1	34.1–78.6	No	By-product of drinking water chlorination
Total Organic Carbon (ppm)	2008	TT	NA	2.09	1.51–2.09	No	Naturally present in the environment
Turbidity ¹ (NTU)	2008	TT	NA	0.13	0.03–0.13	No	Soil runoff
Turbidity (Lowest monthly percent of samples meeting limit)	2008	TT	NA	100	NA	No	Soil runoff
Tap water samples were collected for lead and copper analyses from sample sites throughout the community							
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AL	MCLG	AMOUNT DETECTED (90TH%TILE)	SITES ABOVE AL/ TOTAL SITES	VIOLATION	TYPICAL SOURCE
Copper ² (ppm)	2007	1.3	1.3	0.015	0/31	No	Corrosion of household plumbing systems; Erosion of natural deposits; Leaching from wood preservatives
Lead ² (ppb)	2007	15	0	6	0/31	No	Corrosion of household plumbing systems; Erosion of natural deposits
OTHER REGULATED SUBSTANCES							
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Haloacetic Acids [HAA]- IDSE Results (ppb)	2008	NA	NA	26.0	1.2–26.0	No	By-product of drinking water disinfection
TTHMs [Total Trihalomethanes]–IDSE Results (ppb)	2008	NA	NA	77.4	5.9–77.4	No	By-product of drinking water disinfection
UNREGULATED SUBSTANCES							
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AMOUNT DETECTED	RANGE LOW-HIGH	TYPICAL SOURCE			
Sodium (ppm)	2008	31.8	31.8–31.8	Erosion of natural deposits.			
Sulfate (ppm)	2008	58.3	58.3–58.3	Naturally present in ground water.			

OTHER UNREGULATED SUBSTANCES

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AMOUNT DETECTED	RANGE LOW-HIGH	TYPICAL SOURCE
Calcium (ppm)	2008	39	21.0–39.0	Naturally present in ground water.
Chloride (ppm)	2008	97.5	58.0–97.5	Naturally present in ground water.
Hardness (ppm)	2008	222	126–222	Naturally present in ground water.
Iron (ppm)	2008	0.088	0.088–0.088	Naturally present in ground water.
Magnesium	2008	26.0	12.0–26.0	Naturally present in ground water.

¹Footnote for Plainfield Township Water Department: Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of the filtration system.

²Footnote for Plainfield Township Water Department: Tap water samples were collected for lead and copper analyses from 31 representative homes in the service area that had lead solder copper sweat fittings.

We were required by the U.S. EPA to conduct an evaluation of our distribution system. This is known as an Initial Distribution System Evaluation (IDSE) and is intended to identify locations in our distribution system that have elevated disinfection by-product concentrations. Disinfection by-products (e.g., HAAs and TTHMs) result from continuous disinfection of drinking water and form when disinfectants combine with organic matter that naturally occurs in the source water.

Definitions

AL (Action Level): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable

ND (Not detected): Indicates that the substance was not found by laboratory analysis.

NTU (Nephelometric Turbidity Units): Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

pCi/L (picocuries per liter): A measure of radioactivity.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).

TT (Treatment Technique): A required process intended to reduce the level of a contaminant in drinking water.